

Lab	Lab name	Component	QA measure ID	QA date	QA document url	QA bias	QA variability	QA outcome
3	CZ	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.96% S	0.67%	Pass
3	CZ	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	8.25%	8.47%	Pass
3	CZ	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	5.56%	10.00%	Pass
3	CZ	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.14%	5.12%	Pass
3	CZ	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.87%	1.17%	Pass
3	CZ	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-6.32% S	1.32%	Pass
3	CZ	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.39%	3.71%	Pass
3	CZ	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.67%	4.44%	Pass
3	CZ	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-9.25% S	1.27%	Pass
3	CZ	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.06%	3.43%	Pass
3	CZ	NH3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.47% S	0.68%	Pass
3	CZ	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.98%	1.45%	Pass
3	CZ	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.75% S	0.30%	Pass
3	CZ	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	7.18%	8.88%	
3	CZ	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.96%	1.32%	Pass
3	CZ	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-5.17% S	2.26%	Pass
3	CZ	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.41% S	0.76%	Pass
3	CZ	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	14.06% S	6.89%	Pass
4	DK	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.26%	1.12%	Pass
4	DK	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.57%	2.78%	Pass
4	DK	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.00%	1.67%	Pass
4	DK	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-19.25% S	6.83%	Pass
4	DK	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.31%	2.48%	Pass
4	DK	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	22.36% S	2.24%	Pass
4	DK	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
4	DK	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	34.30% S	4.34%	Pass
4	DK	HNO3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-9.73%	7.74%	Pass
4	DK	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.63% S	1.67%	Pass
4	DK	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-15.43% S	4.75%	Pass
4	DK	NH3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.87%	6.04%	Pass
4	DK	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	16.76% S	7.94%	Pass
4	DK	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.15%	1.72%	Pass
4	DK	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	27.36% S	3.58%	
4	DK	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-15.37% S	2.21%	Pass
4	DK	SO2-S on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-10.08% S	3.43%	Pass
4	DK	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-7.48% S	1.29%	Pass
4	DK	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.79% S	1.31%	Pass
4	DK	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	33.24% S	10.30%	Pass
5	FI	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.81% S	1.29%	Pass
5	FI	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.05% S	0.64%	Pass
5	FI	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	3.60%	3.17%	Pass
5	FI	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	3.59% S	2.62%	Pass

5	FI	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.52%	0.60%	Pass
5	FI	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.06%	1.13%	Pass
5	FI	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.57%	0.66%	Pass
5	FI	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	7.10% S	3.03%	Pass
5	FI	HNO3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.82% S	1.31%	Pass
5	FI	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.44%	0.94%	Pass
5	FI	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.01% S	1.85%	Pass
5	FI	NH3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-6.02% S	3.88%	Pass
5	FI	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.31%	47.30%	No pass
5	FI	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.64% S	0.95%	Pass
5	FI	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.16%	2.91%	
5	FI	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.65%	1.90%	Pass
5	FI	SO2-S on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.70% S	1.03%	Pass
5	FI	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.25%	0.41%	Pass
5	FI	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	3.32% S	0.29%	Pass
5	FI	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.89% S	0.77%	Pass
6	COM	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.74%	6.14%	Pass
6	COM	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	10.35% S	3.71%	Pass
6	COM	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	10.29% S	1.67%	Pass
6	COM	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-13.10% S	4.61%	Pass
6	COM	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.63% S	0.70%	Pass
6	COM	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
6	COM	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	6.18% S	14.77%	No pass
6	COM	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
6	COM	HNO3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.20% S	1.78%	Pass
6	COM	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-16.56% S	1.76%	Pass
6	COM	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.80%	0.87%	Pass
6	COM	NH3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-6.33%	4.07%	Pass
6	COM	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-52.65% S	0.00%	Pass
6	COM	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.60%	0.54%	Pass
6	COM	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-13.89% S	3.46%	
6	COM	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.27%	1.42%	Pass
6	COM	SO2-S on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.06%	1.93%	Pass
6	COM	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.32% S	0.95%	Pass
6	COM	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	6.62% S	3.95%	Pass
6	COM	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	28.52% S	5.92%	Pass
7	COM	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.97%	0.75%	Pass
7	COM	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
7	COM	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
7	COM	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-9.09% S	1.71%	Pass
7	COM	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.66% S	1.56%	Pass
7	COM	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.59% S	2.90%	Pass
7	COM	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-12.25% S	5.07%	Pass

7	COM	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
7	COM	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.53% S	2.33%	Pass
7	COM	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.20% S	1.32%	Pass
7	COM	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
7	COM	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.65% S	0.20%	Pass
7	COM	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	104.39% S	22.13%	
7	COM	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.77%	1.88%	Pass
7	COM	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-5.25% S	2.45%	Pass
7	COM	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.99% S	0.54%	Pass
7	COM	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	16.55% S	3.18%	Pass
8	DE	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.02% S	0.19%	Pass
8	DE	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-6.88% S	1.16%	Pass
8	DE	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.07%	2.50%	Pass
8	DE	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.23%	3.20%	Pass
8	DE	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.33% S	0.63%	Pass
8	DE	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.12% S	0.79%	Pass
8	DE	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	3.30% S	0.70%	Pass
8	DE	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.14%	4.75%	Pass
8	DE	HNO3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	3.08%	2.21%	Pass
8	DE	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.18% S	0.88%	Pass
8	DE	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.12% S	0.53%	Pass
8	DE	NH3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	5.25% S	4.89%	Pass
8	DE	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.23%	2.91%	Pass
8	DE	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.10% S	0.30%	Pass
8	DE	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.28% S	3.82%	
8	DE	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.94% S	3.64%	Pass
8	DE	SO2-S on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.01%	3.88%	Pass
8	DE	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.80% S	0.84%	Pass
8	DE	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.16%	0.44%	Pass
8	DE	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	3.29% S	2.25%	Pass
10	HU	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.72% S	0.94%	Pass
10	HU	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	29.43%	0.00%	Pass
10	HU	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	36.53%	54.99%	No pass
10	HU	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-6.17% S	6.19%	Pass
10	HU	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	6.95% S	6.42%	Pass
10	HU	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
10	HU	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	3.08% S	0.38%	Pass
10	HU	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
10	HU	HNO3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.46%	2.82%	Pass
10	HU	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-18.34%	30.33%	No pass
10	HU	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.25% S	1.58%	Pass
10	HU	NH3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	8.54% S	4.23%	Pass
10	HU	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	48.86%	0.00%	Pass

10	HU	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	6.00% S	2.02%	Pass
10	HU	NO2-N in absorbing solution	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.29%	2.88%	Pass
10	HU	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	27.36% S	18.98%	
10	HU	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.48% S	2.43%	Pass
10	HU	SO2-S on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.64%	3.70%	Pass
10	HU	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.96%	4.39%	Pass
10	HU	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	4.29% S	1.96%	Pass
10	HU	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
12	IE	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	5.16%	16.11%	No pass
12	IE	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-7.88%	5.55%	Pass
12	IE	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.99% S	1.46%	Pass
12	IE	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.51%	2.06%	Pass
12	IE	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-9.77% S	1.58%	Pass
12	IE	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.81% S	0.51%	Pass
12	IE	NO2-N in absorbing solution	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.88% S	1.92%	Pass
12	IE	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-5.59%	3.80%	
12	IE	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.30%	1.43%	Pass
12	IE	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-6.01% S	3.62%	Pass
12	IE	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.60%	2.07%	Pass
15	NO	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	6.80% S	5.43%	Pass
15	NO	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-6.77% S	2.09%	Pass
15	NO	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.14%	2.50%	Pass
15	NO	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-10.91% S	4.70%	Pass
15	NO	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.25%	1.46%	Pass
15	NO	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.58%	2.64%	Pass
15	NO	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	13.44%	18.54%	No pass
15	NO	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	7.28%	5.78%	Pass
15	NO	HNO3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	6.94% S	6.42%	Pass
15	NO	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.96%	1.45%	Pass
15	NO	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.78%	3.17%	Pass
15	NO	NH3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.27%	2.19%	Pass
15	NO	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.89%	3.00%	Pass
15	NO	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.65% S	0.61%	Pass
15	NO	NO2-N in absorbing solution	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	11.83% S	1.92%	Pass
15	NO	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	13.51% S	12.25%	
15	NO	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	6.99% S	2.32%	Pass
15	NO	SO2-S on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.07%	1.06%	Pass
15	NO	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.00%	2.78%	Pass
15	NO	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.22% S	1.20%	Pass
15	NO	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.54% S	1.68%	Pass
16	PL	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.59%	1.69%	Pass
16	PL	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
16	PL	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.11%	0.83%	Pass

16	PL	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.91%	1.07%	Pass
16	PL	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.44% S	1.51%	Pass
16	PL	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-7.85% S	2.90%	Pass
16	PL	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.05%	0.80%	Pass
16	PL	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	15.82%	10.84%	Pass
16	PL	HNO3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	10.93% S	4.49%	Pass
16	PL	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-6.25% S	2.51%	Pass
16	PL	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.67%	2.37%	Pass
16	PL	NH3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.45%	2.35%	Pass
16	PL	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.57%	3.49%	Pass
16	PL	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.15%	0.81%	Pass
16	PL	NO2-N in absorbing solution	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-5.23% S	1.44%	Pass
16	PL	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	20.26% S	15.07%	
16	PL	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.78%	2.43%	Pass
16	PL	SO2-S on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.80%	1.85%	Pass
16	PL	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.65%	1.68%	Pass
16	PL	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.52%	0.76%	Pass
16	PL	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.72%	2.74%	Pass
18	RO	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
18	RO	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
18	RO	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.95%	4.38%	Pass
18	RO	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
18	RO	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
18	RO	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.92% S	1.72%	Pass
18	RO	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
18	RO	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
18	RO	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
18	RO	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.65%	4.24%	Pass
19	ES	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	15.74% S	6.74%	Pass
19	ES	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.43%	1.16%	Pass
19	ES	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.25%	5.00%	Pass
19	ES	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-5.88% S	9.18%	Pass
19	ES	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-10.34% S	7.98%	Pass
19	ES	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.90%	3.96%	Pass
19	ES	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	3.62% S	1.57%	Pass
19	ES	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
19	ES	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-14.33% S	2.02%	Pass
19	ES	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.01%	4.22%	Pass
19	ES	NH3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-10.97%	15.47%	No pass
19	ES	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
19	ES	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.39% S	1.52%	Pass
19	ES	NO2-N in absorbing solution	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.55% S	1.44%	Pass
19	ES	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	36.54% S	3.40%	

19	ES	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.57%	1.43%	Pass
19	ES	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-6.39% S	4.26%	Pass
19	ES	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.97% S	2.61%	Pass
19	ES	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	43.90% S	5.78%	Pass
20	SE	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.44%	1.12%	Pass
20	SE	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.41%	1.04%	Pass
20	SE	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.15% S	0.00%	Pass
20	SE	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.63% S	1.28%	Pass
20	SE	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.92% S	2.09%	Pass
20	SE	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.48% S	0.53%	Pass
20	SE	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.85%	1.57%	Pass
20	SE	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.45%	2.68%	Pass
20	SE	HNO3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-5.04% S	3.92%	Pass
20	SE	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.14%	1.58%	Pass
20	SE	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.79%	1.32%	Pass
20	SE	NH3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	3.93%	2.84%	Pass
20	SE	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.68% S	1.84%	Pass
20	SE	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.70%	1.62%	Pass
20	SE	NO2-N in absorbing solution	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-5.61% S	1.92%	Pass
20	SE	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-7.74% S	2.24%	
20	SE	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.91% S	1.10%	Pass
20	SE	SO2-S on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	3.57% S	2.72%	Pass
20	SE	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-8.24% S	3.62%	Pass
20	SE	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.05%	1.63%	Pass
20	SE	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	10.01% S	2.56%	Pass
21	CH	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.75%	0.94%	Pass
21	CH	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-7.68% S	3.63%	Pass
21	CH	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.06% S	1.17%	Pass
21	CH	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.78%	1.44%	Pass
21	CH	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.94% S	1.85%	Pass
21	CH	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.91% S	0.30%	Pass
21	CH	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	3.58% S	9.96%	
21	CH	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	3.90% S	1.77%	Pass
21	CH	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.85% S	0.32%	Pass
21	CH	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.12% S	0.54%	Pass
22	COM	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-7.92%	8.24%	No pass
22	COM	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
22	COM	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	15.11% S	9.16%	Pass
22	COM	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	32.34% S	22.84%	No pass
22	COM	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-11.58%	15.04%	No pass
22	COM	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
22	COM	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	5.03%	6.58%	Pass
22	COM	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-39.96% S	18.58%	Pass

22	COM	HNO3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-93.82% S	21.76%	No pass
22	COM	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-21.07% S	5.32%	Pass
22	COM	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.78%	18.73%	No pass
22	COM	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
22	COM	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	5.65% S	4.75%	Pass
22	COM	NO2-N in absorbing solution	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-39.24% S	25.46%	No pass
22	COM	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-27.56% S	3.98%	
22	COM	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.16%	40.82%	No pass
22	COM	SO2-S on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-88.57% S	17.09%	No pass
22	COM	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	9.23% S	9.17%	Pass
22	COM	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	5.00% S	7.18%	No pass
22	COM	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
23	COM	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-10.32% S	2.62%	Pass
23	COM	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-23.54% S	18.36%	No pass
23	COM	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-5.55% S	2.63%	Pass
23	COM	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.63% S	1.47%	Pass
23	COM	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-28.90% S	12.40%	No pass
23	COM	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.83% S	0.81%	Pass
23	COM	NO2-N in absorbing solution	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.13% S	0.72%	Pass
23	COM	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	23.84%	50.54%	
23	COM	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-17.11% S	2.65%	Pass
23	COM	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-13.45% S	2.45%	Pass
23	COM	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-8.68% S	4.24%	Pass
24	RS	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.18%	0.37%	Pass
24	RS	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
24	RS	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.32%	0.49%	Pass
24	RS	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
24	RS	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-15.03% S	2.64%	Pass
24	RS	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.33% S	0.10%	Pass
24	RS	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
24	RS	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.44%	0.66%	Pass
24	RS	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.45%	0.58%	Pass
24	RS	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.14% S	0.44%	Pass
27	EDU	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.80%	1.87%	Pass
27	EDU	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.94%	1.28%	Pass
27	EDU	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.46%	0.97%	Pass
27	EDU	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.27% S	0.17%	Pass
27	EDU	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.91% S	1.85%	Pass
27	EDU	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.65%	1.52%	Pass
27	EDU	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	17.61% S	3.59%	
27	EDU	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.13%	1.54%	Pass
27	EDU	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.10% S	2.58%	Pass
27	EDU	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.49%	1.52%	Pass

30	EU	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	9.57% S	5.81%	Pass
30	EU	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	10.90% S	4.27%	Pass
30	EU	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.34%	4.43%	Pass
30	EU	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-12.14% S	6.86%	Pass
30	EU	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	10.25% S	5.28%	Pass
30	EU	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.31% S	0.51%	Pass
30	EU	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	41.25% S	12.21%	
30	EU	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	4.82% S	6.95%	Pass
30	EU	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	4.59%	5.17%	Pass
30	EU	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	3.17%	1.41%	Pass
31	SK	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.43% S	0.56%	Pass
31	SK	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-55.19%	46.28%	No pass
31	SK	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	87.78% S	24.99%	Pass
31	SK	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-11.79%	6.62%	Pass
31	SK	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.41% S	3.36%	Pass
31	SK	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	5.74%	374.48%	No pass
31	SK	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	5.30% S	1.75%	Pass
31	SK	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	41.10% S	32.41%	No pass
31	SK	HNO3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-7.10% S	2.88%	Pass
31	SK	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-18.80%	28.70%	No pass
31	SK	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-12.18% S	2.11%	Pass
31	SK	NH3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-10.07%	16.25%	No pass
31	SK	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-23.01%	22.47%	Pass
31	SK	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.84%	0.91%	Pass
31	SK	NO2-N in absorbing solution	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	5.38% S	1.92%	Pass
31	SK	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-21.22%	17.85%	
31	SK	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-5.38% S	1.43%	Pass
31	SK	SO2-S on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.05%	4.09%	Pass
31	SK	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.81% S	1.10%	Pass
31	SK	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.37% S	1.20%	Pass
31	SK	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-35.46% S	9.10%	Pass
32	LT	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.90% S	2.25%	Pass
32	LT	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	44.63% S	45.35%	No pass
32	LT	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	14.67% S	12.83%	Pass
32	LT	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	9.54%	24.12%	No pass
32	LT	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.96% S	2.38%	Pass
32	LT	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	5.82% S	3.46%	Pass
32	LT	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.72%	1.71%	Pass
32	LT	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	10.40% S	1.61%	Pass
32	LT	HNO3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-13.25% S	4.99%	Pass
32	LT	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.47% S	0.90%	Pass
32	LT	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-9.05% S	11.61%	No pass
32	LT	NH3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.06%	4.12%	Pass



32	LT	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	8.10% S	8.09%	Pass
32	LT	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.06%	1.52%	Pass
32	LT	NO2-N in absorbing solution	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.58% S	1.44%	Pass
32	LT	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.39%	10.53%	
32	LT	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.42%	5.41%	Pass
32	LT	SO2-S on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-17.51% S	6.15%	Pass
32	LT	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.83% S	0.90%	Pass
32	LT	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.70%	3.37%	Pass
32	LT	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	20.77% S	5.10%	Pass
33	LV	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-9.10% S	3.37%	Pass
33	LV	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-29.62% S	15.43%	Pass
33	LV	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	13.51% S	2.50%	Pass
33	LV	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	6.67%	9.61%	Pass
33	LV	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.33%	13.82%	No pass
33	LV	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-63.90% S	12.14%	Pass
33	LV	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	4.47% S	1.19%	Pass
33	LV	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	11.08%	21.57%	Pass
33	LV	HNO3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	12.42%	18.75%	No pass
33	LV	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	48.73% S	3.12%	Pass
33	LV	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-8.61%	4.48%	Pass
33	LV	NH3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.55%	3.85%	Pass
33	LV	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
33	LV	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	3.10%	8.19%	No pass
33	LV	NO2-N in absorbing solution	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	14.39% S	1.92%	Pass
33	LV	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-26.60% S	15.72%	
33	LV	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.95%	2.21%	Pass
33	LV	SO2-S on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	7.44% S	7.27%	Pass
33	LV	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	6.16% S	4.26%	Pass
33	LV	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-5.60% S	3.92%	Pass
33	LV	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-11.14% S	5.21%	Pass
34	TR	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	14.24%	81.28%	No pass
34	TR	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	12.97% S	2.09%	Pass
34	TR	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	3.22% S	7.50%	Pass
34	TR	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-26.34% S	2.63%	Pass
34	TR	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	49.31%	25.30%	No pass
34	TR	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-26.93% S	6.33%	Pass
34	TR	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	4.43% S	1.19%	Pass
34	TR	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-98.40% S	20.75%	Pass
34	TR	HNO3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	323.25% S	100.23%	No pass
34	TR	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-14.59% S	2.46%	Pass
34	TR	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	3.27%	3.51%	Pass
34	TR	NH3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-33.28% S	37.37%	No pass
34	TR	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-98.71% S	14.24%	Pass

34	TR	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-12.88% S	2.53%	Pass
34	TR	NO2-N in absorbing solution	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-11.28% S	3.84%	Pass
34	TR	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-89.39% S	5.40%	
34	TR	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	34.50% S	9.71%	Pass
34	TR	SO2-S on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	48.52%	32.56%	No pass
34	TR	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	9.05%	19.55%	No pass
34	TR	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.25%	12.73%	No pass
34	TR	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-63.37% S	1.09%	Pass
35	HR	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.00%	0.75%	Pass
35	HR	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.82%	3.84%	Pass
35	HR	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.33% S	1.07%	Pass
35	HR	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.82% S	0.45%	Pass
35	HR	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.13% S	1.58%	Pass
35	HR	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	4.32% S	0.81%	Pass
35	HR	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-63.65% S	6.14%	
35	HR	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.44% S	1.43%	Pass
35	HR	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.81% S	0.58%	Pass
35	HR	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.19% S	0.76%	Pass
36	SI	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.31% S	24.91%	No pass
36	SI	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-5.44% S	0.46%	Pass
36	SI	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-5.88% S	0.83%	Pass
36	SI	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.14%	3.20%	Pass
36	SI	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.13% S	1.80%	Pass
36	SI	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.02% S	0.00%	Pass
36	SI	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.98% S	1.29%	Pass
36	SI	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-5.38% S	0.62%	Pass
36	SI	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.12% S	1.01%	Pass
36	SI	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.19%	1.58%	Pass
36	SI	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.47%	1.45%	Pass
36	SI	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.02% S	1.21%	Pass
36	SI	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.16%	6.28%	
36	SI	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.71%	1.66%	Pass
36	SI	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.26% S	1.10%	Pass
36	SI	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.09% S	0.33%	Pass
36	SI	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.06% S	0.88%	Pass
38	EE	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.59%	1.69%	Pass
38	EE	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-7.62% S	0.70%	Pass
38	EE	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-47.15% S	6.67%	Pass
38	EE	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.06% S	2.35%	Pass
38	EE	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.11% S	1.90%	Pass
38	EE	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
38	EE	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.61% S	0.80%	Pass
38	EE	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			

38	EE	HNO3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.42% S	0.64%	Pass
38	EE	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-21.70% S	0.70%	Pass
38	EE	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.37%	1.85%	Pass
38	EE	NH3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	3.62% S	2.59%	Pass
38	EE	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.57% S	1.55%	Pass
38	EE	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.55% S	0.51%	Pass
38	EE	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-36.84% S	6.94%	
38	EE	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.81% S	1.43%	Pass
38	EE	SO2-S on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-7.90% S	2.44%	Pass
38	EE	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.74% S	2.26%	Pass
38	EE	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.54%	2.18%	Pass
38	EE	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.79%	2.56%	Pass
39	PL	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.31% S	0.19%	Pass
39	PL	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-19.22% S	2.90%	Pass
39	PL	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.04%	1.67%	Pass
39	PL	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.38%	1.71%	Pass
39	PL	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.24% S	0.73%	Pass
39	PL	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-9.57% S	2.90%	Pass
39	PL	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.16% S	2.13%	Pass
39	PL	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	24.93% S	8.36%	Pass
39	PL	HNO3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	4.38% S	2.60%	Pass
39	PL	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.31%	3.16%	Pass
39	PL	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.18%	1.06%	Pass
39	PL	NH3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.90% S	2.15%	Pass
39	PL	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-8.24%	9.49%	Pass
39	PL	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.30% S	0.91%	Pass
39	PL	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	5.99%	9.84%	
39	PL	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.83% S	0.33%	Pass
39	PL	SO2-S on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.52%	1.53%	Pass
39	PL	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.15% S	0.65%	Pass
39	PL	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.32%	1.09%	Pass
39	PL	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.83%	3.97%	Pass
41	NET	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	7.36% S	1.28%	Pass
41	NET	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
41	NET	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
41	NET	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
41	NET	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-9.39% S	1.93%	Pass
41	NET	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.52% S	0.00%	Pass
41	NET	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	23.66% S	5.83%	Pass
45	COM	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	15.05% S	17.60%	No pass
45	COM	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.08% S	1.07%	Pass
45	COM	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.72%	0.61%	Pass
45	COM	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.98% S	1.01%	Pass

45	COM	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.30% S	1.32%	Pass
45	COM	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.60% S	0.49%	Pass
45	COM	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	432.64% S	94.57%	
45	COM	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	7.25%	5.30%	Pass
45	COM	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.57%	2.39%	Pass
45	COM	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-7.14%	5.82%	No pass
46	PL	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
46	PL	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
46	PL	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
46	PL	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.66% S	1.36%	Pass
46	PL	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
46	PL	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
46	PL	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	13.57%	11.91%	
46	PL	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
46	PL	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
46	PL	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
47	PL	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-16.28% S	7.42%	Pass
47	PL	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.56%	24.99%	Pass
47	PL	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
47	PL	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
47	PL	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	89.83% S	41.58%	No pass
47	PL	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	628.81%	727.10%	No pass
47	PL	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
48	BE	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.07% S	0.35%	Pass
48	BE	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.00%	2.50%	Pass
48	BE	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.68%	1.19%	Pass
48	BE	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	13.24% S	4.75%	Pass
48	BE	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.78%	6.02%	Pass
48	BE	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.35%	3.29%	Pass
48	BE	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	3.96% S	3.27%	Pass
49	CY	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	7.37%	6.55%	Pass
49	CY	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	8.03% S	7.04%	Pass
49	CY	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.71% S	0.24%	Pass
49	CY	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
49	CY	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	5.80% S	1.85%	Pass
49	CY	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.32% S	0.81%	Pass
49	CY	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
49	CY	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-6.42% S	1.10%	Pass
49	CY	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-6.25% S	4.07%	Pass
49	CY	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.49%	0.54%	Pass
50	FR	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	7.79% S	1.50%	Pass
50	FR	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-13.43% S	4.27%	Pass
50	FR	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.55% S	0.19%	Pass

50	FR	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.55% S	0.77%	Pass
50	FR	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-6.09%	6.07%	Pass
50	FR	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.42% S	1.01%	Pass
50	FR	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	13.57% S	4.69%	
50	FR	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-5.20% S	1.32%	Pass
50	FR	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.86%	0.65%	Pass
50	FR	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-5.52% S	1.09%	Pass
51	COM	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.07%	2.44%	Pass
51	COM	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.44%	4.17%	Pass
51	COM	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
51	COM	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	9.50%	0.00%	Pass
51	COM	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.52% S	1.49%	Pass
51	COM	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	4.05% S	3.00%	Pass
51	COM	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.49%	2.21%	Pass
53	IT	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.86%	7.87%	No pass
53	IT	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.62% S	2.20%	Pass
53	IT	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.14%	2.50%	Pass
53	IT	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-45.51% S	9.39%	Pass
53	IT	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	89.47% S	1.27%	Pass
53	IT	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-9.83% S	2.90%	Pass
53	IT	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	9.82% S	4.02%	Pass
53	IT	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-26.11% S	3.30%	Pass
53	IT	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.26%	5.45%	Pass
53	IT	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-19.09% S	4.22%	Pass
53	IT	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-23.69% S	1.45%	Pass
53	IT	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.91%	2.22%	Pass
53	IT	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.00%	12.25%	
53	IT	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-6.83% S	1.77%	Pass
53	IT	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-9.02%	7.11%	Pass
53	IT	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.18%	3.92%	Pass
53	IT	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	11.59% S	2.66%	Pass
110	DE	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-17.60% S	8.80%	No pass
110	DE	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-6.71%	5.10%	Pass
110	DE	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-6.77% S	4.17%	Pass
110	DE	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.82%	1.28%	Pass
110	DE	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-13.03% S	0.92%	Pass
110	DE	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-16.26% S	5.80%	Pass
110	DE	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.34% S	0.03%	Pass
110	DE	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.99%	13.42%	Pass
110	DE	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-5.42% S	1.36%	Pass
110	DE	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	4.41% S	3.17%	Pass
110	DE	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-7.52% S	2.71%	Pass
110	DE	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-7.58% S	2.53%	Pass

110	DE	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-9.36%	7.20%	
110	DE	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.27%	1.66%	Pass
110	DE	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.51%	2.39%	Pass
110	DE	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-6.90%	5.87%	No pass
110	DE	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.37%	3.62%	Pass
112	DE	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	5.00% S	2.43%	Pass
112	DE	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
112	DE	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	7.32% S	0.83%	Pass
112	DE	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.69%	2.56%	Pass
112	DE	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.50% S	2.19%	Pass
112	DE	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.71% S	0.70%	Pass
112	DE	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-8.40% S	2.41%	Pass
112	DE	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	6.72% S	4.23%	Pass
112	DE	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.18%	0.95%	Pass
112	DE	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.18% S	0.53%	Pass
112	DE	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.84% S	1.25%	Pass
112	DE	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.28% S	0.51%	Pass
112	DE	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-11.89%	8.32%	
112	DE	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	3.13% S	1.54%	Pass
112	DE	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	3.01% S	0.97%	Pass
112	DE	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.17%	0.87%	Pass
112	DE	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	18.18% S	2.46%	Pass
114	IT	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.17%	0.56%	Pass
114	IT	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
114	IT	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	239.95% S	44.16%	No pass
114	IT	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.70% S	3.63%	Pass
114	IT	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-5.97% S	2.92%	Pass
114	IT	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	41.39% S	29.02%	No pass
114	IT	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.36% S	0.56%	Pass
114	IT	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	184.73% S	80.62%	No pass
114	IT	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-63.30% S	9.36%	Pass
114	IT	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.85%	2.11%	Pass
114	IT	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	70.84% S	43.88%	No pass
114	IT	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.08% S	0.91%	Pass
114	IT	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-12.88% S	5.49%	
114	IT	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-5.05% S	2.65%	Pass
114	IT	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-6.01% S	3.62%	Pass
114	IT	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.38%	3.92%	Pass
114	IT	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.30%	2.03%	Pass
115	DE	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.37%	4.68%	Pass
115	DE	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.07%	7.89%	Pass
115	DE	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	5.61% S	2.50%	Pass
115	DE	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.33%	2.78%	Pass

115	DE	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-6.10% S	3.36%	Pass
115	DE	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.76% S	1.58%	Pass
115	DE	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-7.54% S	0.70%	Pass
115	DE	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	6.03% S	1.34%	Pass
115	DE	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-5.57% S	1.05%	Pass
115	DE	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-8.05% S	3.17%	Pass
115	DE	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.55%	2.42%	Pass
115	DE	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-6.38% S	0.91%	Pass
115	DE	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-7.74%	9.45%	
115	DE	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.31% S	0.99%	Pass
115	DE	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.30% S	1.81%	Pass
115	DE	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-7.95% S	3.05%	Pass
115	DE	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	4.95% S	2.65%	Pass
116	CH	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.18% S	0.75%	Pass
116	CH	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.54%	2.78%	Pass
116	CH	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.19% S	3.21%	Pass
116	CH	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-8.52% S	4.51%	Pass
116	CH	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.36%	2.90%	Pass
116	CH	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.11% S	1.01%	Pass
116	CH	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	10.92% S	3.84%	
116	CH	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.38%	3.64%	Pass
116	CH	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	3.45% S	3.75%	Pass
116	CH	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-5.68%	4.68%	Pass
117	DE	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-5.41% S	0.75%	Pass
117	DE	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
117	DE	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-57.63% S	0.00%	Pass
117	DE	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	4.29% S	7.04%	Pass
117	DE	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	6.57%	18.49%	No pass
117	DE	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
117	DE	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.68% S	0.31%	Pass
117	DE	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.08%	4.85%	Pass
117	DE	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	9.53% S	1.63%	Pass
117	DE	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.24%	1.06%	Pass
117	DE	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
117	DE	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-6.40% S	3.33%	Pass
117	DE	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	16.15% S	5.75%	
117	DE	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-11.08% S	2.65%	Pass
117	DE	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-9.70% S	7.56%	Pass
117	DE	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	5.41% S	4.90%	Pass
117	DE	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	31.18% S	12.98%	Pass
121	DE	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-8.24% S	6.37%	Pass
121	DE	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-8.78%	5.91%	Pass
121	DE	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.83%	1.25%	Pass

121	DE	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.00%	3.84%	Pass
121	DE	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.08%	5.30%	Pass
121	DE	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.08% S	0.66%	Pass
121	DE	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-10.85% S	2.41%	Pass
121	DE	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.67%	3.41%	Pass
121	DE	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.95% S	1.14%	Pass
121	DE	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.33%	1.06%	Pass
121	DE	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-5.29%	7.36%	Pass
121	DE	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.02%	2.22%	Pass
121	DE	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.50%	348.07%	
121	DE	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.46%	2.76%	Pass
121	DE	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.31% S	2.71%	Pass
121	DE	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.57%	4.13%	Pass
121	DE	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.76% S	1.06%	Pass
124	BE	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
124	BE	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.23%	2.56%	Pass
124	BE	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.79%	2.19%	Pass
124	BE	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-6.24%	7.66%	No pass
124	BE	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.82%	1.06%	Pass
124	BE	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.09%	0.71%	Pass
124	BE	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-25.87% S	3.64%	
124	BE	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.49%	5.85%	Pass
124	BE	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.47%	3.10%	Pass
124	BE	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.54%	4.03%	Pass
125	DE	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	6.29% S	2.06%	Pass
125	DE	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	15.11% S	8.33%	Pass
125	DE	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	3.48%	3.75%	Pass
125	DE	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.43%	2.13%	Pass
125	DE	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-7.09% S	2.14%	Pass
125	DE	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	3.20% S	1.52%	Pass
125	DE	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.29% S	0.52%	Pass
125	DE	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	11.42% S	3.17%	Pass
125	DE	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	3.81% S	2.39%	Pass
125	DE	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.94% S	0.32%	Pass
125	DE	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	10.08% S	44.59%	No pass
125	DE	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.21%	3.94%	Pass
125	DE	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	82.16% S	47.78%	
125	DE	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.35% S	1.66%	Pass
125	DE	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.64% S	0.78%	Pass
125	DE	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-7.47% S	1.96%	Pass
125	DE	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.21% S	2.05%	Pass
126	IT	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-16.76% S	7.87%	No pass
126	IT	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	187.55% S	47.60%	No pass



126	IT	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.82%	4.38%	Pass
126	IT	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-14.10% S	5.91%	Pass
126	IT	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	53.14% S	5.80%	Pass
126	IT	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.32%	5.56%	No pass
126	IT	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	26.03% S	5.96%	
126	IT	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-24.34%	38.40%	No pass
126	IT	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	9.36%	36.88%	No pass
126	IT	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	7.90%	10.01%	No pass
129	TN	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	42.54% S	366.96%	No pass
129	TN	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	19.47%	5031.45%	No pass
129	TN	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.84%	685.25%	No pass
129	TN	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-28.35%	562.46%	No pass
129	TN	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.86%	224.97%	No pass
129	TN	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.22%	463.07%	No pass
129	TN	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-30.77%	16.02%	Pass
141	JP	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
141	JP	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-52.85% S	2.50%	Pass
141	JP	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
141	JP	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
141	JP	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
141	JP	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
141	JP	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
145	EE	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.39%	3.84%	Pass
145	EE	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.99%	11.02%	Pass
145	EE	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.68%	2.75%	Pass
145	EE	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-6.39%	15.58%	No pass
145	EE	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.65%	3.99%	Pass
145	EE	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-5.67% S	4.22%	Pass
145	EE	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.92% S	0.31%	Pass
145	EE	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.58%	3.51%	Pass
145	EE	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.22% S	3.69%	Pass
145	EE	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.42%	11.87%	No pass
145	EE	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.53%	4.26%	Pass
145	EE	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.98% S	1.41%	Pass
145	EE	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-17.64% S	11.59%	
145	EE	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.56%	4.52%	Pass
145	EE	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.86% S	5.68%	Pass
145	EE	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.06%	1.20%	Pass
145	EE	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-7.91% S	5.83%	Pass
146	LU	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-6.39% S	3.02%	Pass
146	LU	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.19%	2.50%	Pass
146	LU	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.78% S	2.90%	Pass
146	LU	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.15%	5.68%	Pass

146	LU	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.22% S	1.05%	Pass
146	LU	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	3.56%	3.87%	Pass
146	LU	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.75%	2.61%	Pass
153	SI	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.13% S	1.69%	Pass
153	SI	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	13.24% S	3.63%	Pass
153	SI	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-7.68% S	3.80%	Pass
153	SI	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	5.64% S	2.90%	Pass
153	SI	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.18%	3.96%	Pass
153	SI	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	325.47%	194.52%	No pass
153	SI	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	18.86% S	17.48%	
153	SI	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-5.16%	3.20%	Pass
153	SI	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	4.28% S	2.33%	Pass
153	SI	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-5.11% S	2.28%	Pass
155	UK	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.15%	4.31%	Pass
155	UK	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.71%	1.92%	Pass
155	UK	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.48%	1.31%	Pass
155	UK	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.01% S	0.28%	Pass
155	UK	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.32% S	2.11%	Pass
155	UK	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.81% S	0.61%	Pass
155	UK	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-16.80% S	7.15%	
155	UK	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-7.67% S	0.99%	Pass
155	UK	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.12% S	1.68%	Pass
155	UK	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.68% S	0.65%	Pass
158	ASIA	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.15%	0.56%	Pass
158	ASIA	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.78%	0.85%	Pass
158	ASIA	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.03% S	1.75%	Pass
158	ASIA	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.85% S	0.87%	Pass
158	ASIA	HNO3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.52%	3.89%	Pass
158	ASIA	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.24%	0.79%	Pass
158	ASIA	NH3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.52%	1.53%	Pass
158	ASIA	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.11% S	0.10%	Pass
158	ASIA	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-26.71% S	8.34%	
158	ASIA	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.77% S	1.21%	Pass
158	ASIA	SO2-S on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-5.11% S	3.48%	Pass
158	ASIA	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.22% S	0.19%	Pass
158	ASIA	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.02%	0.33%	Pass
166	PL	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	7.84% S	1.69%	Pass
166	PL	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
166	PL	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
166	PL	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
166	PL	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.29%	0.58%	Pass
166	PL	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
166	PL	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	7.65% S	4.27%	Pass

166	PL	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
166	PL	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	50.41%	30.77%	No pass
166	PL	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.03% S	1.32%	Pass
166	PL	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
166	PL	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.58% S	0.71%	Pass
166	PL	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-9.55%	21.03%	
166	PL	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-4.67% S	0.99%	Pass
166	PL	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-5.27% S	3.75%	Pass
166	PL	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.54%	0.54%	Pass
166	PL	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.80%	1.27%	Pass
171	FR	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.23% S	0.55%	Pass
171	FR	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.24%	2.42%	Pass
171	FR	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.60%	0.78%	Pass
171	FR	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.05% S	4.35%	Pass
171	FR	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	3.37% S	0.98%	Pass
171	FR	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.11% S	1.01%	Pass
171	FR	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.10% S	3.60%	Pass
178	RU	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.95%	3.37%	Pass
178	RU	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-8.33%	9.51%	Pass
178	RU	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	3.39%	7.50%	Pass
178	RU	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.98%	9.61%	Pass
178	RU	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.70%	1.56%	Pass
178	RU	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-37.67% S	13.45%	Pass
178	RU	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.23% S	0.91%	Pass
178	RU	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	74.87% S	17.55%	Pass
178	RU	HNO3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	4740.72% S	910.55%	No pass
178	RU	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.97%	7.38%	Pass
178	RU	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.42%	2.64%	Pass
178	RU	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	2.09%	2.32%	Pass
178	RU	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.85%	0.51%	Pass
178	RU	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	23.16% S	8.47%	
178	RU	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.04%	1.43%	Pass
178	RU	SO2-S on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	3548.48% S	555.76%	No pass
178	RU	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.41% S	2.52%	Pass
178	RU	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.30% S	1.74%	Pass
178	RU	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	5.55%	12.54%	Pass
179	RU	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.45%	1.69%	Pass
179	RU	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
179	RU	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
179	RU	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.49%	7.68%	Pass
179	RU	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-5.60% S	4.91%	Pass
179	RU	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
179	RU	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.58% S	1.01%	Pass

179	RU	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
179	RU	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
179	RU	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-6.50% S	0.53%	Pass
179	RU	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
179	RU	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-5.83% S	0.61%	Pass
179	RU	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	76.76%	75.35%	
179	RU	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.69%	3.31%	Pass
179	RU	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.54%	2.33%	Pass
179	RU	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.16%	0.98%	Pass
179	RU	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-30.11% S	16.78%	Pass
183	RS	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
183	RS	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	47.29% S	93.31%	No pass
183	RS	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	6.49% S	11.61%	Pass
183	RS	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	92.77% S	51.61%	No pass
183	RS	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	6.77% S	7.52%	Pass
183	RS	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	29.08% S	9.01%	Pass
183	RS	NO2-N in absorbing solution	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.24% S	0.96%	Pass
183	RS	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	6.62% S	3.89%	Pass
188	COM	NO2-N in absorbing solution	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.00%	0.96%	Pass
189	RS	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
189	RS	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
189	RS	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
189	RS	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
189	RS	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
189	RS	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
189	RS	NO2-N in absorbing solution	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	0.76%	1.92%	Pass
189	RS	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
192	COM	NO2-N in absorbing solution	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.91%	2.40%	Pass
198	RS	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
198	RS	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
198	RS	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
198	RS	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
198	RS	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
198	RS	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
198	RS	NO2-N in absorbing solution	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.94%	0.96%	Pass
198	RS	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
200	CH	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.45% S	0.94%	Pass
200	CH	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.07%	4.91%	Pass
200	CH	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.25%	1.75%	Pass
200	CH	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.28% S	0.87%	Pass
200	CH	HNO3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.84%	7.27%	Pass
200	CH	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	7.61% S	2.11%	Pass
200	CH	NH3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	1.66% S	1.48%	Pass

200	CH	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.66%	0.61%	Pass
200	CH	NO2-N in absorbing solution	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-2.48% S	0.00%	Pass
200	CH	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-35.37% S	13.17%	
200	CH	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	10.95% S	3.31%	Pass
200	CH	SO2-S on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-3.95% S	0.64%	Pass
200	CH	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-0.09%	0.84%	Pass
200	CH	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.91%	1.52%	Pass
201	RS	HNO3-N on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-89.88% S	25.42%	No pass
201	RS	NO2-N in absorbing solution	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-1.39%	1.44%	Pass
201	RS	SO2-S on impregnated filter	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	190.12% S	15.53%	No pass
203	RS	Ammonium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
203	RS	Arsenic	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
203	RS	Cadmium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
203	RS	Calcium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	11.76%	27.32%	No pass
203	RS	Chloride in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-62.21% S	18.49%	No pass
203	RS	Chromium	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
203	RS	Conductivity in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
203	RS	Copper	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
203	RS	Lead	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
203	RS	Magnesium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	-15.00% S	6.33%	Pass
203	RS	Nickel	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
203	RS	Nitrate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
203	RS	NO2-N in absorbing solution	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	9.09% S	3.36%	Pass
203	RS	pH in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
203	RS	Potassium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
203	RS	Sodium in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	14.65%	15.83%	No pass
203	RS	Sulphate in precipitation	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
203	RS	Zinc	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>			
206	COM	NO2-N in absorbing solution	EMEP38	20210309	<a href="http://www.nilu.no/projects/ccc/qameasure/emep38.pdf">http://www.nilu.no/projects/ccc/qameasure/emep38.pdf</a>	9.70% S	4.80%	Pass