

Lab number	Lab name	Component	QA measure ID	QA date	QA document url	QA bias	QA variability	QA outcome
3 CZ		As	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	16.25%	14.03%	Pass
3 CZ		Ca in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	4.23%	6.08%	Pass
3 CZ		Cd	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	2.78%	2.92%	Pass
3 CZ		Cl in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.79%	0.80%	Pass
3 CZ		Cond in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.36%	1.64%	Pass
3 CZ		Cr	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-12.88% S	1.33%	Pass
3 CZ		Cu	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-6.46% S	0.74%	Pass
3 CZ		K in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.72% S	0.73%	Pass
3 CZ		Mg in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	6.93% S	1.92%	Pass
3 CZ		Na in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	5.07% S	2.97%	Pass
3 CZ		NH3	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.38%	3.80%	Pass
3 CZ		NH4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	4.57% S	2.89%	Pass
3 CZ		Ni	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-6.20% S	3.26%	Pass
3 CZ		NO3 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.61%	1.24%	Pass
3 CZ		Pb	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-4.03% S	2.52%	Pass
3 CZ		pH in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-4.27%	12.49%	
3 CZ		SO4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.88%	4.13%	Pass
3 CZ		Zn	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.91% S	3.57%	Pass
4 DK		As	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.48% S	1.56%	Pass
4 DK		Ca in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-10.85% S	5.19%	Pass
4 DK		Cd	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
4 DK		Cl in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.46%	2.54%	Pass
4 DK		Cond in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
4 DK		Cr	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	12.78% S	2.66%	Pass
4 DK		Cu	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	17.71% S	2.14%	Pass
4 DK		HNO3	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.80% S	1.01%	Pass
4 DK		K in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-15.39% S	3.97%	Pass
4 DK		Mg in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-6.39% S	3.60%	Pass
4 DK		Na in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.03% S	0.50%	Pass
4 DK		NH3	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.30% S	0.87%	Pass
4 DK		NH4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.38% S	1.86%	Pass
4 DK		Ni	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	10.46% S	3.50%	Pass
4 DK		NO3 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	2.62% S	0.97%	Pass
4 DK		Pb	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-7.62% S	1.71%	Pass
4 DK		pH in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	20.26% S	2.80%	
4 DK		SO2	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-8.47% S	1.04%	Pass
4 DK		SO4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.72%	2.98%	Pass
4 DK		Zn	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	18.36% S	5.30%	Pass

5 FI	As	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.88% S	2.63%	Pass
5 FI	Ca in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.45% S	4.99%	Pass
5 FI	Cd	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.61%	6.21%	Pass
5 FI	Cl in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.57% S	0.70%	Pass
5 FI	Cond in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.44% S	0.58%	Pass
5 FI	Cr	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.06%	2.41%	Pass
5 FI	Cu	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.06%	3.25%	Pass
5 FI	HNO3	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.58%	0.66%	Pass
5 FI	K in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	4.98% S	1.32%	Pass
5 FI	Mg in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	4.09% S	3.05%	Pass
5 FI	Na in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.37%	0.38%	Pass
5 FI	NH3	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-6.38% S	0.89%	Pass
5 FI	NH4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	2.02% S	1.24%	Pass
5 FI	Ni	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.13%	2.55%	Pass
5 FI	NO3 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.90% S	0.26%	Pass
5 FI	Pb	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.48%	4.76%	Pass
5 FI	pH in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	13.57% S	22.04%	
5 FI	SO2	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	4.59% S	0.92%	Pass
5 FI	SO4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.14%	3.65%	Pass
5 FI	Zn	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.84%	3.28%	Pass
6 COM	As	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	6.55%	3.40%	Pass
6 COM	Ca in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.27%	3.76%	Pass
6 COM	Cd	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
6 COM	Cl in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.52% S	2.02%	Pass
6 COM	Cond in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	6.73% S	5.82%	Pass
6 COM	Cr	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
6 COM	Cu	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-6.06% S	2.80%	Pass
6 COM	HNO3	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.58%	1.38%	Pass
6 COM	K in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.35% S	0.31%	Pass
6 COM	Mg in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-5.40% S	1.68%	Pass
6 COM	Na in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.18% S	0.74%	Pass
6 COM	NH4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	8.41%	4.80%	Pass
6 COM	Ni	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.94% S	0.00%	Pass
6 COM	NO3 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.68%	0.88%	Pass
6 COM	Pb	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-11.43% S	25.55%	No pass
6 COM	pH in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	27.36% S	13.64%	
6 COM	SO2	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.99%	1.21%	Pass
6 COM	SO4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	5.15% S	4.71%	Pass
6 COM	Zn	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			

6 FR	NH3	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-13.51% S	0.85%	Pass
7 COM	As	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-6.66% S	5.39%	Pass
7 COM	Ca in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-9.89% S	3.40%	Pass
7 COM	Cd	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.04%	4.96%	Pass
7 COM	Cl in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.00% S	1.55%	Pass
7 COM	Cond in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-8.45% S	3.45%	Pass
7 COM	Cr	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	5.34% S	3.32%	Pass
7 COM	Cu	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.07%	4.40%	Pass
7 COM	K in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-4.73%	2.72%	Pass
7 COM	Mg in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-7.84% S	3.84%	Pass
7 COM	Na in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-6.06% S	2.42%	Pass
7 COM	NH4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.07% S	2.17%	Pass
7 COM	Ni	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.01%	2.55%	Pass
7 COM	NO3 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.68%	3.97%	Pass
7 COM	Pb	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.97%	5.58%	Pass
7 COM	pH in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	114.70% S	38.08%	
7 COM	SO4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	2.01% S	3.46%	Pass
7 COM	Zn	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.05%	3.89%	Pass
8 DE	As	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.01%	3.40%	Pass
8 DE	Ca in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.51%	4.47%	Pass
8 DE	Cd	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.00%	4.37%	Pass
8 DE	Cl in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.89%	2.21%	Pass
8 DE	Cond in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.77% S	0.42%	Pass
8 DE	Cr	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.35%	2.21%	Pass
8 DE	Cu	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.05%	4.29%	Pass
8 DE	HNO3	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.87% S	1.72%	Pass
8 DE	K in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.22% S	0.84%	Pass
8 DE	Mg in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.42%	1.20%	Pass
8 DE	Na in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.39% S	0.25%	Pass
8 DE	NH3	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	7.78% S	2.79%	Pass
8 DE	NH4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.10% S	1.55%	Pass
8 DE	Ni	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.97%	2.29%	Pass
8 DE	NO3 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.03%	2.47%	Pass
8 DE	Pb	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.33%	6.10%	Pass
8 DE	pH in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.01%	9.11%	
8 DE	SO2	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.51% S	0.60%	Pass
8 DE	SO4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.72%	7.01%	No pass
8 DE	Zn	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	7.69%	9.46%	Pass
10 HU	As	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			

10 HU	Ca in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	12.37% S	3.76%	Pass
10 HU	Cd	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
10 HU	Cl in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.86%	1.74%	Pass
10 HU	Cond in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.18% S	0.77%	Pass
10 HU	Cr	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
10 HU	Cu	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
10 HU	HNO3	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-4.56% S	1.66%	Pass
10 HU	K in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.97% S	0.31%	Pass
10 HU	Mg in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.42%	4.80%	Pass
10 HU	Na in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	9.17% S	1.24%	Pass
10 HU	NH3	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.55% S	1.32%	Pass
10 HU	NH4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-5.22% S	1.70%	Pass
10 HU	Ni	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
10 HU	NO2	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.56%	2.71%	Pass
10 HU	NO3 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.07%	0.97%	Pass
10 HU	Pb	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.47% S	0.00%	Pass
10 HU	pH in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.88%	9.48%	
10 HU	SO2	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.42%	6.49%	Pass
10 HU	SO4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	4.58% S	2.98%	Pass
10 HU	Zn	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
12 IE	Ca in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-18.82% S	5.54%	Pass
12 IE	Cl in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.44% S	3.43%	Pass
12 IE	Cond in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.85% S	1.84%	Pass
12 IE	K in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-11.40% S	0.63%	Pass
12 IE	Mg in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-7.29% S	0.72%	Pass
12 IE	Na in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-10.27% S	0.81%	Pass
12 IE	NH4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	11.19%	14.86%	No pass
12 IE	NO3 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.34%	1.06%	Pass
12 IE	pH in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-5.59%	10.50%	
12 IE	SO4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-4.04%	2.98%	Pass
15 NO	As	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-6.08% S	2.55%	Pass
15 NO	Ca in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.41%	5.01%	Pass
15 NO	Cd	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.27%	4.37%	Pass
15 NO	Cl in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.51%	1.55%	Pass
15 NO	Cond in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-5.83%	7.74%	No pass
15 NO	Cr	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.28%	2.07%	Pass
15 NO	Cu	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.68% S	4.04%	Pass
15 NO	HNO3	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.87%	0.98%	Pass
15 NO	K in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.83% S	1.25%	Pass

15 NO	Mg in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.83%	1.44%	Pass
15 NO	Na in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.94%	1.18%	Pass
15 NO	NH3	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.07%	1.47%	Pass
15 NO	NH4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	6.26% S	2.17%	Pass
15 NO	Ni	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.62%	3.02%	Pass
15 NO	NO2	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	11.47% S	0.45%	Pass
15 NO	NO3 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.70% S	0.18%	Pass
15 NO	Pb	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.99%	5.78%	Pass
15 NO	pH in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.00%	10.15%	
15 NO	SO2	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.49% S	0.60%	Pass
15 NO	SO4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.38%	2.69%	Pass
15 NO	Zn	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	6.90% S	3.17%	Pass
16 PL	As	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
16 PL	Ca in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.91%	5.54%	Pass
16 PL	Cd	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-6.03%	5.54%	Pass
16 PL	Cl in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.32% S	1.69%	Pass
16 PL	Cond in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.74%	0.71%	Pass
16 PL	Cr	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-6.77% S	3.98%	Pass
16 PL	Cu	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-31.20% S	8.74%	Pass
16 PL	HNO3	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	5.79% S	2.78%	Pass
16 PL	K in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.00%	1.05%	Pass
16 PL	Mg in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	2.97% S	1.92%	Pass
16 PL	Na in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.90% S	0.99%	Pass
16 PL	NH3	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-7.15% S	3.45%	Pass
16 PL	NH4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.69%	1.86%	Pass
16 PL	Ni	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-6.42%	7.97%	Pass
16 PL	NO2	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.08%	1.35%	Pass
16 PL	NO3 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.22% S	0.97%	Pass
16 PL	Pb	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.18%	5.29%	Pass
16 PL	pH in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	25.89% S	2.95%	
16 PL	SO2	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.37%	1.08%	Pass
16 PL	SO4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.45%	2.88%	Pass
16 PL	Zn	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	2.75%	3.17%	Pass
19 ES	Ca in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.12%	4.65%	Pass
19 ES	Cl in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.27%	5.78%	Pass
19 ES	Cond in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-5.32% S	3.58%	Pass
19 ES	K in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.43% S	1.67%	Pass
19 ES	Mg in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	7.35% S	4.56%	Pass
19 ES	Na in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.78% S	2.23%	Pass

19 ES	NH3	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	7.75% S	2.74%	Pass
19 ES	NH4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	11.54% S	5.54%	Pass
19 ES	NO2	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-5.24% S	1.35%	Pass
19 ES	NO3 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.83%	1.94%	Pass
19 ES	pH in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	9.65% S	5.26%	
19 ES	SO4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.02%	2.31%	Pass
20 SE	As	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	10.32% S	4.39%	Pass
20 SE	Ca in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	6.34%	6.62%	Pass
20 SE	Cd	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	12.70% S	8.75%	Pass
20 SE	Cl in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.14%	2.26%	Pass
20 SE	Cond in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	2.88% S	0.55%	Pass
20 SE	Cr	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	5.57%	3.54%	Pass
20 SE	Cu	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.45% S	3.05%	Pass
20 SE	HNO3	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.61% S	0.74%	Pass
20 SE	K in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	4.31% S	2.61%	Pass
20 SE	Mg in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	5.37% S	1.92%	Pass
20 SE	Na in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	2.84%	6.69%	Pass
20 SE	NH3	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.33%	0.65%	Pass
20 SE	NH4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	2.58% S	1.08%	Pass
20 SE	Ni	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	7.06% S	2.17%	Pass
20 SE	NO2	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.63% S	0.45%	Pass
20 SE	NO3 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.47%	0.35%	Pass
20 SE	Pb	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.35%	3.91%	Pass
20 SE	pH in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	7.18%	8.48%	
20 SE	SO2	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.07% S	0.60%	Pass
20 SE	SO4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.36%	2.98%	Pass
20 SE	Zn	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	19.91% S	6.86%	Pass
21 CH	Ca in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-15.30% S	9.30%	Pass
21 CH	Cl in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.41% S	2.16%	Pass
21 CH	Cond in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.80% S	0.33%	Pass
21 CH	K in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	10.56% S	3.97%	Pass
21 CH	Mg in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	8.26% S	5.52%	Pass
21 CH	Na in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.67% S	1.55%	Pass
21 CH	NH4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.95% S	1.55%	Pass
21 CH	NO3 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.18% S	0.71%	Pass
21 CH	pH in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	9.68% S	4.26%	
21 CH	SO4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.45%	2.21%	Pass
22 COM	As	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
22 COM	Ca in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	41.17% S	11.09%	Pass

22 COM	Cd	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	-29.90% S	10.21%	Pass
22 COM	Cl in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	9.15% S	4.70%	Pass
22 COM	Cond in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	-9.30% S	7.74%	No pass
22 COM	Cr	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>			
22 COM	Cu	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	-87.01% S	16.74%	Pass
22 COM	HNO3	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	19.48% S	11.56%	No pass
22 COM	K in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	-7.94% S	1.78%	Pass
22 COM	Mg in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	146.59% S	48.92%	No pass
22 COM	Na in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	-8.53%	28.20%	No pass
22 COM	NH4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	-22.25% S	4.02%	Pass
22 COM	Ni	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>			
22 COM	NO2	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	-44.04% S	19.40%	No pass
22 COM	NO3 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	-2.71% S	0.88%	Pass
22 COM	Pb	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	-62.50% S	33.36%	No pass
22 COM	pH in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	9.65% S	13.05%	
22 COM	SO2	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	54.59% S	51.82%	No pass
22 COM	SO4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	207.40% S	117.19%	No pass
22 COM	Zn	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>			
23 COM	Ca in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	4.31%	15.74%	No pass
23 COM	Cl in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	-12.46% S	9.73%	Pass
23 COM	Cond in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	-14.24% S	3.10%	Pass
23 COM	K in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	-12.65% S	2.93%	Pass
23 COM	Mg in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	-6.66% S	8.61%	Pass
23 COM	Na in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	-6.85% S	3.28%	Pass
23 COM	NH4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	-8.27% S	4.21%	Pass
23 COM	NO2	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	1.86% S	0.45%	Pass
23 COM	NO3 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	-4.61%	2.03%	Pass
23 COM	pH in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	-17.77% S	6.87%	
23 COM	SO4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	-8.11% S	3.75%	Pass
24 RS	Ca in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>			
24 RS	Cl in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	3.55%	0.52%	Pass
24 RS	Cond in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	2.78%	0.06%	Pass
24 RS	K in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>			
24 RS	Mg in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>			
24 RS	Na in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>			
24 RS	NH4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>			
24 RS	NO3 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	5.06%	1.32%	Pass
24 RS	pH in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	-25.01% S	0.25%	
24 RS	SO4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	1.89%	1.54%	Pass

26 CA	Ca in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.07%	4.83%	Pass
26 CA	Cl in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.75% S	1.03%	Pass
26 CA	Cond in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
26 CA	K in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.06%	0.73%	Pass
26 CA	Mg in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.98% S	0.72%	Pass
26 CA	Na in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.05%	1.24%	Pass
26 CA	NH4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	2.68% S	1.70%	Pass
26 CA	NO3 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.20%	0.26%	Pass
26 CA	pH in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.39%	5.47%	
26 CA	SO4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.04%	2.69%	Pass
27 EDU	Ca in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.38%	4.83%	Pass
27 EDU	Cl in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	2.59% S	1.69%	Pass
27 EDU	Cond in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.96% S	1.00%	Pass
27 EDU	K in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.74% S	0.63%	Pass
27 EDU	Mg in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	2.91% S	2.64%	Pass
27 EDU	Na in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.87% S	2.05%	Pass
27 EDU	NH4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.98%	2.63%	Pass
27 EDU	NO3 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	4.12% S	0.97%	Pass
27 EDU	pH in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.16%	6.43%	
27 EDU	SO4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.18% S	3.75%	Pass
30 EU	Ca in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.95%	8.76%	Pass
30 EU	Cl in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	4.56%	4.93%	Pass
30 EU	Cond in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-44.25% S	17.73%	No pass
30 EU	K in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	2.01% S	1.36%	Pass
30 EU	Mg in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.98% S	0.72%	Pass
30 EU	Na in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.39% S	0.99%	Pass
30 EU	NH4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.86%	3.41%	Pass
30 EU	NO3 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-4.35% S	0.44%	Pass
30 EU	pH in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-51.55% S	13.35%	
30 EU	SO4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-10.57% S	2.79%	Pass
31 SK	As	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	27.83%	54.29%	No pass
31 SK	Ca in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-8.86%	5.37%	Pass
31 SK	Cd	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	12.73%	62.70%	No pass
31 SK	Cl in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-4.51% S	2.54%	Pass
31 SK	Cond in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	5.34% S	1.55%	Pass
31 SK	Cr	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.73%	16.96%	Pass
31 SK	Cu	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-18.36% S	8.16%	Pass
31 SK	HNO3	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.03% S	2.33%	Pass
31 SK	K in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-6.77%	4.70%	Pass



31 SK	Mg in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-10.53% S	0.72%	Pass
31 SK	Na in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.74% S	0.50%	Pass
31 SK	NH3	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-4.32%	6.34%	Pass
31 SK	NH4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.62%	1.70%	Pass
31 SK	Ni	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	53.65% S	22.45%	Pass
31 SK	NO2	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	7.82% S	1.35%	Pass
31 SK	NO3 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.68%	0.97%	Pass
31 SK	Pb	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	46.90% S	56.14%	No pass
31 SK	pH in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-19.00%	16.14%	
31 SK	SO2	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.95%	2.87%	Pass
31 SK	SO4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.14%	2.88%	Pass
31 SK	Zn	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	25.30% S	24.93%	Pass
32 LT	As	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	44.92% S	28.78%	No pass
32 LT	Ca in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.50%	5.54%	Pass
32 LT	Cd	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	17.78%	446.16%	No pass
32 LT	Cl in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-8.79%	7.47%	Pass
32 LT	Cond in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.46%	2.58%	Pass
32 LT	Cr	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.17%	5.61%	Pass
32 LT	Cu	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	22.76% S	5.03%	Pass
32 LT	HNO3	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.72%	7.03%	Pass
32 LT	K in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	5.15%	4.39%	Pass
32 LT	Mg in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.35% S	1.92%	Pass
32 LT	Na in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.58%	1.86%	Pass
32 LT	NH3	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-4.34% S	1.27%	Pass
32 LT	NH4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.40%	4.18%	Pass
32 LT	Ni	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	6.68% S	8.21%	Pass
32 LT	NO2	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.53% S	0.90%	Pass
32 LT	NO3 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-4.17% S	2.74%	Pass
32 LT	Pb	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	9.03% S	15.87%	Pass
32 LT	pH in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	24.46% S	3.76%	
32 LT	SO2	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-7.08%	4.34%	Pass
32 LT	SO4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.26%	5.38%	No pass
32 LT	Zn	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	19.67% S	6.43%	Pass
33 LV	As	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.79%	3.54%	Pass
33 LV	Ca in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.97%	9.30%	Pass
33 LV	Cd	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	23.93% S	2.92%	Pass
33 LV	Cl in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-5.22% S	1.88%	Pass
33 LV	Cond in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	4.13% S	1.39%	Pass
33 LV	Cr	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-4.99% S	5.90%	Pass

33 LV	Cu	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-5.53%	6.10%	Pass
33 LV	HNO3	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-5.27% S	1.00%	Pass
33 LV	K in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.35% S	0.94%	Pass
33 LV	Mg in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.53%	2.40%	Pass
33 LV	Na in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	7.31% S	2.35%	Pass
33 LV	NH3	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-5.86% S	1.29%	Pass
33 LV	NH4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-8.33% S	2.01%	Pass
33 LV	Ni	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.86%	2.66%	Pass
33 LV	NO2	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	20.83% S	1.80%	Pass
33 LV	NO3 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.99% S	0.62%	Pass
33 LV	Pb	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-11.93% S	3.42%	Pass
33 LV	pH in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.39% S	4.05%	
33 LV	SO2	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-6.99% S	2.46%	Pass
33 LV	SO4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.57%	3.75%	Pass
33 LV	Zn	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.57%	5.46%	Pass
34 TR	As	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	2.71%	2.41%	Pass
34 TR	Ca in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	2.29%	8.59%	Pass
34 TR	Cd	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	5.44% S	5.83%	Pass
34 TR	Cl in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.37%	2.82%	Pass
34 TR	Cond in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	65.17% S	76.51%	No pass
34 TR	Cr	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.99%	4.28%	Pass
34 TR	Cu	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-46.89% S	4.29%	Pass
34 TR	HNO3	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	88.02% S	6.61%	Pass
34 TR	K in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	6.52% S	5.02%	Pass
34 TR	Mg in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.08%	1.44%	Pass
34 TR	Na in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	6.02% S	1.67%	Pass
34 TR	NH3	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-38.28% S	3.00%	Pass
34 TR	NH4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-82.99% S	26.93%	No pass
34 TR	Ni	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-17.19%	3409.73%	No pass
34 TR	NO2	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-21.84% S	3.61%	Pass
34 TR	NO3 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-13.30% S	3.44%	Pass
34 TR	Pb	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	5.05%	32.38%	No pass
34 TR	pH in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-95.48% S	6.79%	
34 TR	SO2	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	26.11% S	8.34%	Pass
34 TR	SO4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-8.41% S	3.94%	Pass
34 TR	Zn	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-35.03% S	24.11%	Pass
35 HR	As	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	4.39% S	3.40%	Pass
35 HR	Ca in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.92% S	5.90%	Pass
35 HR	Cd	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	10.43% S	7.29%	Pass

35 HR	Cl in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.86% S	0.94%	Pass
35 HR	Cond in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.27% S	0.87%	Pass
35 HR	Cr	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
35 HR	Cu	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
35 HR	K in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	4.76% S	1.99%	Pass
35 HR	Mg in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	2.08% S	2.40%	Pass
35 HR	Na in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.84% S	0.62%	Pass
35 HR	NH4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.19% S	2.32%	Pass
35 HR	Ni	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.16%	2.05%	Pass
35 HR	NO3 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.62% S	0.79%	Pass
35 HR	Pb	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.66%	4.23%	Pass
35 HR	pH in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-70.10% S	3.11%	
35 HR	SO4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.56% S	2.98%	Pass
35 HR	Zn	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
36 SI	As	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.83% S	1.28%	Pass
36 SI	Ca in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.61%	5.37%	Pass
36 SI	Cd	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.74% S	5.83%	Pass
36 SI	Cl in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.52% S	0.70%	Pass
36 SI	Cond in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-4.44% S	0.84%	Pass
36 SI	Cr	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.56% S	0.00%	Pass
36 SI	Cu	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.28%	3.79%	Pass
36 SI	K in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.95%	2.40%	Pass
36 SI	Mg in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	4.59% S	1.68%	Pass
36 SI	Na in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.77% S	0.19%	Pass
36 SI	NH4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.66%	1.55%	Pass
36 SI	Ni	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.07%	0.72%	Pass
36 SI	NO3 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.54%	0.35%	Pass
36 SI	Pb	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.02%	5.37%	Pass
36 SI	pH in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	26.03%	32.44%	
36 SI	SO4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.03%	2.98%	Pass
36 SI	Zn	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.61%	9.02%	Pass
38 EE	As	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.27%	3.26%	Pass
38 EE	Ca in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-7.47%	5.37%	Pass
38 EE	Cd	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-42.65% S	16.04%	Pass
38 EE	Cl in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.56% S	1.17%	Pass
38 EE	Cond in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	6.38% S	2.87%	Pass
38 EE	Cr	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
38 EE	Cu	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
38 EE	HNO3	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.18% S	1.16%	Pass

38 EE	K in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.50% S	0.94%	Pass
38 EE	Mg in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.36%	1.68%	Pass
38 EE	Na in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-8.68% S	0.99%	Pass
38 EE	NH3	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.66% S	1.34%	Pass
38 EE	NH4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.85% S	2.32%	Pass
38 EE	Ni	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-31.99% S	4.34%	Pass
38 EE	NO3 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.60%	0.79%	Pass
38 EE	Pb	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-5.95%	5.78%	Pass
38 EE	pH in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-44.81% S	10.54%	
38 EE	SO2	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-6.19% S	1.25%	Pass
38 EE	SO4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.00%	2.69%	Pass
38 EE	Zn	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-17.16% S	5.33%	Pass
39 PL	As	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-7.28%	12.47%	Pass
39 PL	Ca in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.39%	4.47%	Pass
39 PL	Cd	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	28.27% S	17.50%	Pass
39 PL	Cl in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.47% S	1.60%	Pass
39 PL	Cond in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.70%	1.71%	Pass
39 PL	Cr	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	2.67%	3.84%	Pass
39 PL	Cu	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-10.97%	9.81%	Pass
39 PL	HNO3	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.24%	1.11%	Pass
39 PL	K in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.24% S	0.42%	Pass
39 PL	Mg in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.54%	1.68%	Pass
39 PL	Na in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.38% S	0.93%	Pass
39 PL	NH3	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-4.02% S	2.58%	Pass
39 PL	NH4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.87%	4.02%	Pass
39 PL	Ni	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-23.61% S	17.02%	Pass
39 PL	NO3 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.76% S	1.77%	Pass
39 PL	Pb	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	7.64%	10.66%	Pass
39 PL	pH in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	21.69% S	16.25%	
39 PL	SO2	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.61% S	1.33%	Pass
39 PL	SO4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.20%	3.17%	Pass
39 PL	Zn	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	48.85% S	15.87%	Pass
40 MK	Ca in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
40 MK	Cl in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	14.53% S	8.93%	Pass
40 MK	Cond in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	9.46%	8.61%	No pass
40 MK	K in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
40 MK	Mg in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
40 MK	Na in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
40 MK	NH4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	20.47% S	8.51%	No pass

40 MK	NO3 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-7.70% S	0.88%	Pass
40 MK	pH in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	12.16%	40.61%	
40 MK	SO4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
41 NET	As	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.54% S	3.26%	Pass
41 NET	Cd	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
41 NET	Cr	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
41 NET	Cu	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.82%	1.98%	Pass
41 NET	Ni	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
41 NET	Pb	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.12%	2.77%	Pass
41 NET	Zn	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-27.31%	17.14%	Pass
42 MD	Ca in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
42 MD	Cl in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
42 MD	Cond in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	43.69% S	15.60%	No pass
42 MD	K in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
42 MD	Mg in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
42 MD	Na in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
42 MD	NH4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
42 MD	NO2	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.00%	0.45%	Pass
42 MD	NO3 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
42 MD	pH in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-9.84% S	14.06%	
42 MD	SO4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
46 PL	Ca in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
46 PL	Cl in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
46 PL	Cond in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-5.61% S	1.23%	Pass
46 PL	K in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
46 PL	Mg in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
46 PL	Na in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
46 PL	NH4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
46 PL	NO3 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
46 PL	pH in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	21.69%	23.70%	
46 PL	SO4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
47 PL	As	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-4.57% S	1.42%	Pass
47 PL	Ca in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.00%	3.76%	Pass
47 PL	Cd	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-29.85% S	8.75%	Pass
47 PL	Cl in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.77% S	2.26%	Pass
47 PL	Cond in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.78% S	0.90%	Pass
47 PL	Cr	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.85%	5.16%	Pass
47 PL	Cu	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-19.97% S	3.22%	Pass
47 PL	K in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.26% S	0.52%	Pass

47 PL	Mg in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.42% S	0.72%	Pass
47 PL	Na in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.66% S	0.81%	Pass
47 PL	NH4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	13.44% S	6.97%	Pass
47 PL	Ni	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.67% S	1.21%	Pass
47 PL	NO3 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.45%	2.12%	Pass
47 PL	Pb	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-18.28% S	4.07%	Pass
47 PL	pH in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-19.81%	20.35%	
47 PL	SO4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.59%	2.50%	Pass
47 PL	Zn	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.05%	3.81%	Pass
48 BE	As	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	2.12% S	0.71%	Pass
48 BE	Cd	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	5.21% S	4.37%	Pass
48 BE	Cr	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.97%	2.66%	Pass
48 BE	Cu	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	2.76% S	2.06%	Pass
48 BE	Ni	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	9.82% S	3.62%	Pass
48 BE	Pb	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	6.72%	5.45%	Pass
48 BE	Zn	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.60%	4.90%	Pass
49 CY	As	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	41.51% S	13.75%	Pass
49 CY	Ca in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.29%	4.83%	Pass
49 CY	Cd	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-5.35%	13.12%	Pass
49 CY	Cl in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.40% S	0.28%	Pass
49 CY	Cond in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
49 CY	Cr	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-12.88% S	1.18%	Pass
49 CY	Cu	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.50%	3.05%	Pass
49 CY	K in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.62%	2.93%	Pass
49 CY	Mg in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	10.94% S	2.64%	Pass
49 CY	Na in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.71%	0.68%	Pass
49 CY	NH4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	11.52% S	4.80%	Pass
49 CY	Ni	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-75.66% S	4.59%	Pass
49 CY	NO3 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.48% S	3.18%	Pass
49 CY	Pb	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-50.42% S	4.31%	Pass
49 CY	pH in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
49 CY	SO4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.45%	2.40%	Pass
49 CY	Zn	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	71.64% S	13.75%	Pass
50 FR	Ca in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-18.38% S	8.41%	Pass
50 FR	Cl in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.70% S	0.52%	Pass
50 FR	Cond in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	5.06% S	1.61%	Pass
50 FR	K in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-5.06% S	0.31%	Pass
50 FR	Mg in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-15.00% S	4.08%	Pass
50 FR	Na in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.84% S	0.43%	Pass

50 FR	NH4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	6.88% S	2.32%	Pass
50 FR	NO3 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-4.41% S	0.53%	Pass
50 FR	pH in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-9.71%	24.05%	
50 FR	SO4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-5.55%	2.50%	Pass
51 COM	As	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-4.56% S	1.28%	Pass
51 COM	Cd	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	19.39% S	10.21%	Pass
51 COM	Cr	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
51 COM	Cu	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-5.92% S	3.22%	Pass
51 COM	Ni	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.06%	1.93%	Pass
51 COM	Pb	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	7.99% S	5.04%	Pass
51 COM	Zn	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-5.93% S	2.91%	Pass
110 DE	As	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-6.08% S	2.84%	Pass
110 DE	Ca in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.22%	5.19%	Pass
110 DE	Cd	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-20.99% S	5.83%	Pass
110 DE	Cl in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.03%	5.22%	Pass
110 DE	Cond in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.13%	0.58%	Pass
110 DE	Cr	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.35%	1.62%	Pass
110 DE	Cu	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-11.57% S	6.68%	Pass
110 DE	K in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.67% S	0.84%	Pass
110 DE	Mg in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.32% S	2.64%	Pass
110 DE	Na in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	2.96% S	1.80%	Pass
110 DE	NH4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-6.87% S	5.00%	Pass
110 DE	Ni	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.47%	4.95%	Pass
110 DE	NO2	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.63% S	0.90%	Pass
110 DE	NO3 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.83% S	2.12%	Pass
110 DE	Pb	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-4.17%	6.59%	Pass
110 DE	pH in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	27.43% S	5.96%	
110 DE	SO4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.27%	4.71%	Pass
110 DE	Zn	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-16.13% S	5.21%	Pass
112 DE	As	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
112 DE	Ca in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.46%	5.20%	Pass
112 DE	Cd	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	8.02% S	6.27%	Pass
112 DE	Cl in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.50%	7.24%	Pass
112 DE	Cond in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-8.82% S	0.55%	Pass
112 DE	Cr	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.25% S	1.77%	Pass
112 DE	Cu	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.72%	3.05%	Pass
112 DE	K in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.52%	28.23%	No pass
112 DE	Mg in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.88%	2.25%	Pass
112 DE	Na in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	2.67%	12.89%	No pass

112 DE	NH4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	-1.21%	49.84%	No pass
112 DE	Ni	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	-4.72% S	2.53%	Pass
112 DE	NO3 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	-2.72%	41.86%	No pass
112 DE	Pb	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	1.06%	5.78%	Pass
112 DE	pH in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	-8.80% S	3.86%	
112 DE	SO4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	1.27%	17.87%	No pass
112 DE	Zn	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	25.23% S	9.14%	Pass
114 IT	As	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>			
114 IT	Ca in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	14.97% S	6.44%	Pass
114 IT	Cd	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>			
114 IT	Cl in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	-4.76% S	2.49%	Pass
114 IT	Cond in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	-0.85% S	0.68%	Pass
114 IT	Cr	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	26.26% S	28.47%	No pass
114 IT	Cu	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>			
114 IT	K in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	-8.45% S	4.39%	Pass
114 IT	Mg in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	-8.13% S	2.40%	Pass
114 IT	Na in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	-12.03% S	5.76%	Pass
114 IT	NH4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	0.58%	1.55%	Pass
114 IT	Ni	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	41.20%	20.76%	Pass
114 IT	NO3 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	-1.75% S	0.88%	Pass
114 IT	Pb	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	-51.39% S	0.00%	Pass
114 IT	pH in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	-4.50% S	2.03%	
114 IT	SO4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	47768.03%	63141.31%	No pass
114 IT	Zn	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	4.69%	4.44%	Pass
116 CH	Ca in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	-0.68%	5.54%	Pass
116 CH	Cl in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	2.48% S	1.77%	Pass
116 CH	Cond in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	-9.42% S	3.77%	Pass
116 CH	K in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	10.59% S	1.46%	Pass
116 CH	Mg in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	7.45%	5.28%	Pass
116 CH	Na in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	11.11% S	2.42%	Pass
116 CH	NH4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	64.24% S	38.85%	No pass
116 CH	NO3 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	-0.87% S	0.54%	Pass
116 CH	pH in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	8.46% S	10.72%	
116 CH	SO4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	9.52% S	6.70%	No pass
117 DE	As	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>			
117 DE	Ca in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	-2.02%	6.44%	Pass
117 DE	Cd	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>			
117 DE	Cl in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	-0.14%	9.54%	Pass
117 DE	Cond in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccq/qameasure/emep39.pdf">http://www.nilu.no/projects/ccq/qameasure/emep39.pdf</a>	0.91%	2.00%	Pass



117 DE	Cr	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
117 DE	Cu	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-10.78% S	6.60%	Pass
117 DE	K in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-9.50% S	3.24%	Pass
117 DE	Mg in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-4.24%	2.88%	Pass
117 DE	Na in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.72% S	2.42%	Pass
117 DE	NH4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.68%	2.17%	Pass
117 DE	Ni	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
117 DE	NO3 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-4.08% S	1.68%	Pass
117 DE	Pb	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-6.94% S	4.48%	Pass
117 DE	pH in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	86.26% S	10.13%	
117 DE	SO4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	2.73% S	2.02%	Pass
117 DE	Zn	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	47.75% S	5.21%	Pass
124 BE	Ca in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.77%	4.11%	Pass
124 BE	Cl in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.92% S	2.11%	Pass
124 BE	Cond in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-6.44% S	6.35%	Pass
124 BE	K in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-12.78% S	3.14%	Pass
124 BE	Mg in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.19%	2.64%	Pass
124 BE	Na in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.05%	2.11%	Pass
124 BE	NH4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
124 BE	NO3 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	4.69% S	2.21%	Pass
124 BE	pH in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-36.84% S	10.16%	
124 BE	SO4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	8.15% S	2.50%	Pass
145 EE	As	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	10.53%	7.23%	Pass
145 EE	Ca in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	6.51%	7.51%	Pass
145 EE	Cd	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.74%	5.10%	Pass
145 EE	Cl in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-4.14% S	2.54%	Pass
145 EE	Cond in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.16%	1.06%	Pass
145 EE	Cr	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.47% S	2.66%	Pass
145 EE	Cu	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.66%	3.13%	Pass
145 EE	K in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	5.46% S	5.02%	Pass
145 EE	Mg in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.05%	5.08%	Pass
145 EE	Na in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.29% S	1.92%	Pass
145 EE	NH4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	4.82% S	4.84%	Pass
145 EE	Ni	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	2.08%	4.10%	Pass
145 EE	NO3 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.43% S	1.50%	Pass
145 EE	Pb	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-7.19% S	2.77%	Pass
145 EE	pH in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-95.40% S	7.75%	
145 EE	SO4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.56% S	2.31%	Pass
145 EE	Zn	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-5.01%	2.92%	Pass

146 LU	As	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	2.98%	0.28%	Pass
146 LU	Cd	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	13.89%	7.29%	Pass
146 LU	Cr	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.51% S	1.92%	Pass
146 LU	Cu	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.14%	2.80%	Pass
146 LU	Ni	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.73%	6.40%	Pass
146 LU	Pb	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	2.22%	4.80%	Pass
146 LU	Zn	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	4.92%	9.24%	Pass
153 SI	Ca in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-9.76%	5.19%	Pass
153 SI	Cl in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-8.15% S	3.90%	Pass
153 SI	Cond in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	7.14% S	3.10%	Pass
153 SI	K in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.33%	3.03%	Pass
153 SI	Mg in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.78%	5.99%	Pass
153 SI	Na in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	4.67% S	4.65%	Pass
153 SI	NH4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.21%	1.70%	Pass
153 SI	NO3 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-4.15% S	1.68%	Pass
153 SI	pH in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	58.49% S	13.89%	
153 SI	SO4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-5.37% S	2.98%	Pass
155 UK	Ca in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.17%	4.47%	Pass
155 UK	Cl in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.63%	2.44%	Pass
155 UK	Cond in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.30% S	0.42%	Pass
155 UK	K in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-8.28% S	2.09%	Pass
155 UK	Mg in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.00%	1.20%	Pass
155 UK	Na in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.53%	5.89%	Pass
155 UK	NH4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	6.94% S	5.57%	Pass
155 UK	NO3 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.15% S	0.97%	Pass
155 UK	pH in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	12.32% S	4.70%	
155 UK	SO4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.27%	2.59%	Pass
166 PL	As	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
166 PL	Ca in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-4.05%	4.65%	Pass
166 PL	Cd	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
166 PL	Cl in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.90% S	1.64%	Pass
166 PL	Cond in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	2.22%	1.06%	Pass
166 PL	Cr	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
166 PL	Cu	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
166 PL	K in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.41%	0.73%	Pass
166 PL	Mg in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.79% S	1.68%	Pass
166 PL	Na in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.42% S	1.05%	Pass
166 PL	NH4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-7.29%	9.13%	No pass
166 PL	Ni	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			

166 PL	NO3 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.69% S	0.53%	Pass
166 PL	Pb	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
166 PL	pH in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
166 PL	SO4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.23%	1.73%	Pass
166 PL	Zn	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.05%	4.19%	Pass
171 FR	As	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-9.24% S	1.56%	Pass
171 FR	Cd	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-4.33%	5.83%	Pass
171 FR	Cr	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-5.05% S	1.33%	Pass
171 FR	Cu	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.97% S	3.55%	Pass
171 FR	Ni	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.47%	4.10%	Pass
171 FR	Pb	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.52% S	2.69%	Pass
171 FR	Zn	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.61%	6.62%	Pass
178 RU	As	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	2.14%	3.69%	Pass
178 RU	Ca in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.19%	4.11%	Pass
178 RU	Cd	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.78%	4.37%	Pass
178 RU	Cl in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-4.35% S	3.01%	Pass
178 RU	Cond in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.73%	2.06%	Pass
178 RU	Cr	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	7.05% S	2.21%	Pass
178 RU	Cu	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.72%	9.65%	Pass
178 RU	HNO3	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-11.27% S	1.92%	Pass
178 RU	K in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-4.72% S	1.67%	Pass
178 RU	Mg in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-5.38% S	1.20%	Pass
178 RU	Na in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-5.21% S	1.98%	Pass
178 RU	NH4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.12% S	2.17%	Pass
178 RU	Ni	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.96% S	2.66%	Pass
178 RU	NO2	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-4.37% S	2.26%	Pass
178 RU	NO3 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.11% S	1.32%	Pass
178 RU	Pb	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.28%	3.42%	Pass
178 RU	pH in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.58%	10.18%	
178 RU	SO2	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-23.99% S	6.37%	Pass
178 RU	SO4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.68% S	3.36%	Pass
178 RU	Zn	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	5.31%	4.70%	Pass
179 RU	As	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
179 RU	Ca in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.64%	8.76%	Pass
179 RU	Cd	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
179 RU	Cl in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.68%	2.49%	Pass
179 RU	Cond in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.07%	3.42%	Pass
179 RU	Cr	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
179 RU	Cu	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			

179 RU	K in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.02%	2.93%	Pass
179 RU	Mg in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-5.61% S	0.72%	Pass
179 RU	Na in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-5.45% S	2.23%	Pass
179 RU	NH4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.68%	2.79%	Pass
179 RU	Ni	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
179 RU	NO3 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.58% S	4.50%	Pass
179 RU	Pb	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
179 RU	pH in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
179 RU	SO4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.79%	1.54%	Pass
179 RU	Zn	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
181 NL	As	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-4.53%	43.52%	No pass
181 NL	Ca in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.46% S	2.86%	Pass
181 NL	Cd	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.38%	7.29%	Pass
181 NL	Cl in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.72%	2.96%	Pass
181 NL	Cond in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-8.40%	10.41%	No pass
181 NL	Cr	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.41%	5.16%	Pass
181 NL	Cu	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.75%	4.21%	Pass
181 NL	K in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	2.15% S	0.84%	Pass
181 NL	Mg in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.77% S	0.48%	Pass
181 NL	Na in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.48%	1.30%	Pass
181 NL	NH4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.66%	1.55%	Pass
181 NL	Ni	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	3.70%	5.79%	Pass
181 NL	NO3 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.36%	1.50%	Pass
181 NL	Pb	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.74%	4.96%	Pass
181 NL	pH in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-15.81% S	14.92%	
181 NL	SO4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.07%	2.02%	Pass
181 NL	Zn	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-15.27% S	3.17%	Pass
183 RS	As	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	5.63%	21.69%	Pass
183 RS	Cd	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.00%	98.42%	No pass
183 RS	Cr	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	4.96%	15.05%	Pass
183 RS	Cu	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-4.34%	7.42%	Pass
183 RS	Ni	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-10.95% S	5.91%	Pass
183 RS	NO2	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.29%	3.61%	Pass
183 RS	Pb	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-9.90%	36.21%	No pass
183 RS	Zn	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	4.32% S	4.57%	Pass
184 RS	NO2	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.66%	0.90%	Pass
185 ORG	As	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
185 ORG	Cd	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
185 ORG	Cr	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			

185 ORG	Cu	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
185 ORG	Ni	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
185 ORG	NO2	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-4.63% S	0.90%	Pass
185 ORG	Pb	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
185 ORG	Zn	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
187 COM	Ca in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
187 COM	Cl in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
187 COM	Cond in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
187 COM	K in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-26.43%	19.55%	Pass
187 COM	Mg in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-8.09%	7.43%	Pass
187 COM	Na in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.38%	7.87%	Pass
187 COM	NH4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
187 COM	NO2	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-4.10% S	0.45%	Pass
187 COM	NO3 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
187 COM	pH in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
187 COM	SO4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
188 COM	NO2	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-6.66% S	0.90%	Pass
193 RS	As	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	19.05%	12.47%	Pass
193 RS	Ca in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-21.60%	35.95%	No pass
193 RS	Cd	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	11.11%	0.00%	Pass
193 RS	Cl in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-24.99% S	6.11%	Pass
193 RS	Cond in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
193 RS	Cr	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	11.11%	0.00%	Pass
193 RS	Cu	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	15.38% S	7.51%	Pass
193 RS	K in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-17.00%	13.38%	Pass
193 RS	Mg in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-6.67% S	5.28%	Pass
193 RS	Na in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.00%	17.29%	No pass
193 RS	NH4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	7.93%	6.66%	Pass
193 RS	Ni	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
193 RS	NO2	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.00%	1.80%	Pass
193 RS	NO3 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-14.95% S	3.71%	Pass
193 RS	Pb	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
193 RS	pH in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
193 RS	SO4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-21.40% S	17.00%	No pass
193 RS	Zn	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	11.11% S	6.98%	Pass
198 RS	As	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
198 RS	Cd	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
198 RS	Cr	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
198 RS	Cu	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			

198 RS	Ni	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
198 RS	NO2	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	4.12% S	3.16%	Pass
198 RS	Pb	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
198 RS	Zn	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
200 CH	Ca in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	6.78% S	4.11%	Pass
200 CH	Cl in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.79% S	0.99%	Pass
200 CH	Cond in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.17%	1.64%	Pass
200 CH	HNO3	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-3.15% S	0.39%	Pass
200 CH	K in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.69%	0.84%	Pass
200 CH	Mg in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.86%	2.64%	Pass
200 CH	Na in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.62% S	0.74%	Pass
200 CH	NH3	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-4.54% S	0.92%	Pass
200 CH	NH4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-1.10%	0.93%	Pass
200 CH	NO2	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.00% S	0.45%	Pass
200 CH	NO3 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.13%	0.53%	Pass
200 CH	pH in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	77.88% S	13.68%	
200 CH	SO2	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.50% S	0.40%	Pass
200 CH	SO4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.22%	2.59%	Pass
201 RS	Ca in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-10.03%	18.06%	No pass
201 RS	Cl in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	718.25% S	342.95%	No pass
201 RS	Cond in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	126.84% S	72.51%	No pass
201 RS	HNO3	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
201 RS	K in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
201 RS	Mg in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
201 RS	Na in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
201 RS	NH4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-4.51% S	1.08%	Pass
201 RS	NO2	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-2.29% S	0.90%	Pass
201 RS	NO3 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-4.78%	4.33%	Pass
201 RS	pH in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-42.71% S	6.13%	
201 RS	SO2	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-30.53%	37.88%	No pass
201 RS	SO4 in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
203 RS	As	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
203 RS	Ca in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
203 RS	Cd	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	35.73% S	69.99%	No pass
203 RS	Cl in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-8.15% S	6.11%	Pass
203 RS	Cond in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
203 RS	Cr	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
203 RS	Cu	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	37.49% S	66.89%	No pass
203 RS	K in precip	EMEP39	20220215	<a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-29.40%	19.45%	Pass

203 RS	Mg in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-4.37%	14.63%	No pass
203 RS	Na in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	0.18%	9.42%	Pass
203 RS	NH4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-0.77%	3.10%	Pass
203 RS	Ni	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
203 RS	NO2	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	1.72%	1.35%	Pass
203 RS	NO3 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>	-9.56% S	1.06%	Pass
203 RS	Pb	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
203 RS	pH in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
203 RS	SO4 in precip	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			
203 RS	Zn	EMEP39	20220215 <a href="http://www.nilu.no/projects/ccc/qameasure/emep39.pdf">http://www.nilu.no/projects/ccc/qameasure/emep39.pdf</a>			