

Lab number	Lab name	Component	QA measure ID	QA date	QA document url	QA bias	QA variability	QA outcome
3	CZ	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-6.25%	4.99%	Pass
3	CZ	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-4.15% S	1.55%	Pass
3	CZ	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.29%	1.29%	Pass
3	CZ	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.33%	2.57%	Pass
3	CZ	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-4.19% S	1.92%	Pass
3	CZ	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.92%	10.24%	No pass
3	CZ	NH3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	18.42% S	8.71%	Pass
3	CZ	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	16.89% S	2.29%	Pass
3	CZ	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.00% S	0.59%	Pass
3	CZ	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-6.06%	24.97%	
3	CZ	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.09% S	1.03%	Pass
4	DK	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.31%	5.86%	Pass
4	DK	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-15.42% S	4.39%	Pass
4	DK	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-9.17%	7.49%	Pass
4	DK	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.47%	0.91%	Pass
4	DK	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
4	DK	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	8.22% S	0.82%	Pass
4	DK	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.25%	2.84%	Pass
4	DK	HNO3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-5.22% S	1.45%	Pass
4	DK	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-14.14% S	2.24%	Pass
4	DK	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-9.14% S	4.92%	Pass
4	DK	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.44% S	0.27%	Pass
4	DK	NH3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.75%	4.05%	Pass
4	DK	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.11% S	0.95%	Pass
4	DK	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	7.68% S	1.83%	Pass
4	DK	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.09% S	0.49%	Pass
4	DK	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-5.46% S	1.60%	Pass
4	DK	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	17.49% S	4.78%	
4	DK	SO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-15.08% S	1.04%	Pass
4	DK	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.69%	1.31%	Pass
4	DK	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.70%	1.53%	Pass
5	FI	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	3.00% S	1.28%	Pass
5	FI	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.97% S	0.60%	Pass
5	FI	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.27%	5.65%	Pass
5	FI	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.90% S	0.33%	Pass
5	FI	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.44% S	0.80%	Pass
5	FI	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.28%	1.07%	Pass
5	FI	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	5.35%	4.42%	Pass
5	FI	HNO3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.18%	1.27%	Pass

5 FI	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	3.30% S	0.76%	Pass
5 FI	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.26%	2.04%	Pass
5 FI	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.83% S	0.24%	Pass
5 FI	NH3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-6.67% S	4.66%	Pass
5 FI	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.06%	0.90%	Pass
5 FI	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.18% S	1.57%	Pass
5 FI	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.38%	1.00%	Pass
5 FI	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.13% S	0.38%	Pass
5 FI	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	16.21% S	8.57%	
5 FI	SO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.98% S	1.04%	Pass
5 FI	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.09%	1.73%	Pass
5 FI	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.94% S	1.07%	Pass
6 COM	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	27.82% S	7.86%	Pass
6 COM	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-14.38% S	2.40%	Pass
6 COM	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
6 COM	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.36% S	0.27%	Pass
6 COM	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.05%	4.72%	Pass
6 COM	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
6 COM	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	5.13%	1.98%	Pass
6 COM	HNO3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-5.26% S	0.91%	Pass
6 COM	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.41% S	0.45%	Pass
6 COM	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-4.88% S	0.64%	Pass
6 COM	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.94% S	0.54%	Pass
6 COM	NH3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.45%	6.08%	Pass
6 COM	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.74%	5.34%	Pass
6 COM	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	5.47%	0.26%	Pass
6 COM	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.11%	0.30%	Pass
6 COM	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-4.29% S	0.39%	Pass
6 COM	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.66%	13.55%	
6 COM	SO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.42%	1.33%	Pass
6 COM	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.77% S	0.37%	Pass
6 COM	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
7 COM	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.24%	3.57%	Pass
7 COM	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-8.22% S	2.99%	Pass
7 COM	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	5.72%	14.98%	Pass
7 COM	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.01%	1.12%	Pass
7 COM	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
7 COM	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	3.82% S	2.45%	Pass
7 COM	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.51%	2.96%	Pass
7 COM	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.35% S	0.67%	Pass

7	COM	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.71%	3.21%	Pass
7	COM	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-5.33% S	0.81%	Pass
7	COM	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.59% S	1.34%	Pass
7	COM	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.23%	3.66%	Pass
7	COM	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.73%	1.48%	Pass
7	COM	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.20% S	0.88%	Pass
7	COM	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
7	COM	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.35%	4.67%	Pass
7	COM	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	8.21% S	1.86%	Pass
8	DE	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	4.51% S	0.57%	Pass
8	DE	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-5.92% S	2.40%	Pass
8	DE	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.00% S	3.00%	Pass
8	DE	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.00% S	0.37%	Pass
8	DE	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.74% S	0.70%	Pass
8	DE	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.63%	0.98%	Pass
8	DE	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.73% S	0.99%	Pass
8	DE	HNO3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.77% S	1.63%	Pass
8	DE	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-5.56% S	4.25%	Pass
8	DE	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-6.35% S	1.92%	Pass
8	DE	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.64% S	0.27%	Pass
8	DE	NH3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	10.09% S	4.86%	Pass
8	DE	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.59% S	0.57%	Pass
8	DE	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.44%	2.48%	Pass
8	DE	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.60% S	2.27%	Pass
8	DE	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.38%	0.39%	Pass
8	DE	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.00%	6.50%	
8	DE	SO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.27%	0.59%	Pass
8	DE	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.07% S	1.68%	Pass
8	DE	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.97%	2.78%	Pass
10	HU	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-16.84% S	1.60%	Pass
10	HU	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.49%	2.78%	Pass
10	HU	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	4.74% S	0.94%	Pass
10	HU	HNO3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-12.74% S	4.72%	Pass
10	HU	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.87% S	0.67%	Pass
10	HU	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-7.05% S	1.07%	Pass
10	HU	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.73% S	1.21%	Pass
10	HU	NH3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-7.52% S	0.61%	Pass
10	HU	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-8.64% S	2.10%	Pass
10	HU	NO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	14.75% S	8.55%	Pass
10	HU	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.03% S	1.29%	Pass

10 HU	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	10.98% S	6.78%	
10 HU	SO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	11.59%	8.30%	Pass
10 HU	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.19% S	0.56%	Pass
12 IE	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-15.42% S	2.60%	Pass
12 IE	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.71% S	1.39%	Pass
12 IE	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	5.34% S	2.62%	Pass
12 IE	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-4.49% S	0.22%	Pass
12 IE	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-4.74%	5.13%	Pass
12 IE	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-5.49% S	1.82%	Pass
12 IE	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	9.72% S	3.05%	Pass
12 IE	NO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.21%	0.53%	Pass
12 IE	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.44%	0.89%	Pass
12 IE	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	106.66% S	26.24%	
12 IE	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-11.33% S	4.85%	Pass
15 NO	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-4.39% S	2.00%	Pass
15 NO	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-13.18% S	2.79%	Pass
15 NO	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.00%	4.49%	Pass
15 NO	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-5.47% S	1.39%	Pass
15 NO	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	4.66%	7.34%	No pass
15 NO	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.90% S	1.14%	Pass
15 NO	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.73%	0.99%	Pass
15 NO	HNO3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.63% S	0.73%	Pass
15 NO	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.35% S	1.01%	Pass
15 NO	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-5.98%	2.99%	Pass
15 NO	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.87%	0.61%	Pass
15 NO	NH3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.72%	1.01%	Pass
15 NO	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	12.32% S	2.67%	Pass
15 NO	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.33%	1.96%	Pass
15 NO	NO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-7.57% S	2.67%	Pass
15 NO	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.51%	0.89%	Pass
15 NO	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.65%	0.88%	Pass
15 NO	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-9.79%	7.47%	
15 NO	SO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.15% S	0.74%	Pass
15 NO	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-4.68% S	1.87%	Pass
15 NO	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.70% S	1.04%	Pass
16 PL	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
16 PL	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.85% S	0.40%	Pass
16 PL	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.56%	4.49%	Pass
16 PL	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.40% S	0.59%	Pass
16 PL	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.09% S	1.26%	Pass

16 PL	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-6.99% S	0.49%	Pass
16 PL	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-13.59% S	3.21%	Pass
16 PL	HNO3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	6.18% S	1.63%	Pass
16 PL	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.29%	2.12%	Pass
16 PL	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.40% S	1.28%	Pass
16 PL	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.42%	1.62%	Pass
16 PL	NH3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-6.86%	7.70%	Pass
16 PL	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.21%	1.72%	Pass
16 PL	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-13.54%	7.32%	Pass
16 PL	NO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.90%	1.07%	Pass
16 PL	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.32%	0.49%	Pass
16 PL	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-5.98% S	2.09%	Pass
16 PL	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	25.93% S	10.27%	
16 PL	SO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.55%	1.63%	Pass
16 PL	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.47%	0.47%	Pass
16 PL	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.28%	4.05%	Pass
19 ES	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.70% S	0.86%	Pass
19 ES	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.59% S	0.40%	Pass
19 ES	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	68.75%	25.47%	No pass
19 ES	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-7.56% S	2.30%	Pass
19 ES	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	6.39%	6.46%	Pass
19 ES	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-29.87% S	17.31%	Pass
19 ES	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
19 ES	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-5.89% S	1.45%	Pass
19 ES	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	5.26% S	1.50%	Pass
19 ES	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.66% S	1.01%	Pass
19 ES	NH3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.35% S	1.82%	Pass
19 ES	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-8.57% S	2.48%	Pass
19 ES	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
19 ES	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.40% S	0.69%	Pass
19 ES	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	3.08% S	2.09%	Pass
19 ES	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-21.37% S	7.57%	
19 ES	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-6.16% S	0.37%	Pass
19 ES	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	24.81% S	5.10%	Pass
20 SE	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	12.11% S	2.00%	Pass
20 SE	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-5.08% S	1.60%	Pass
20 SE	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	10.68% S	5.24%	Pass
20 SE	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.17%	0.48%	Pass
20 SE	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	6.85% S	0.42%	Pass
20 SE	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.18% S	0.82%	Pass

20 SE	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.26% S	1.36%	Pass
20 SE	HNO3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-6.64% S	3.08%	Pass
20 SE	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.28% S	1.12%	Pass
20 SE	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.86% S	1.07%	Pass
20 SE	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-6.16% S	1.68%	Pass
20 SE	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.66% S	0.38%	Pass
20 SE	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.73%	1.44%	Pass
20 SE	NO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.28%	2.83%	Pass
20 SE	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.34% S	0.59%	Pass
20 SE	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	4.58% S	1.10%	Pass
20 SE	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	3.52% S	4.55%	
20 SE	SO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.40%	2.37%	Pass
20 SE	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.82% S	0.65%	Pass
20 SE	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	14.49% S	3.70%	Pass
21 CH	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-6.84% S	1.40%	Pass
21 CH	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.93% S	0.11%	Pass
21 CH	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.32%	0.91%	Pass
21 CH	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.94% S	0.56%	Pass
21 CH	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.89% S	1.92%	Pass
21 CH	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.95% S	0.67%	Pass
21 CH	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.14%	1.53%	Pass
21 CH	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.72% S	0.40%	Pass
21 CH	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.33% S	3.56%	
21 CH	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.10%	0.93%	Pass
22 COM	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
22 COM	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	49.23% S	11.38%	Pass
22 COM	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-47.91% S	4.49%	Pass
22 COM	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-9.58%	11.46%	No pass
22 COM	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	12.30% S	2.27%	Pass
22 COM	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
22 COM	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-58.55%	59.29%	No pass
22 COM	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-7.49% S	1.68%	Pass
22 COM	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	145.72% S	54.93%	No pass
22 COM	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-11.23% S	2.22%	Pass
22 COM	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-7.55% S	13.16%	No pass
22 COM	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
22 COM	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-5.52%	21.45%	No pass
22 COM	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-35.92% S	11.68%	Pass
22 COM	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.16% S	4.28%	
22 COM	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-82.12% S	23.24%	No pass

22	COM	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf				
23	COM	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-35.62% S	8.64%		Pass
23	COM	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-6.60% S	1.87%		Pass
23	COM	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-8.90% S	2.73%		Pass
23	COM	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-14.87% S	3.46%		Pass
23	COM	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-19.71% S	30.63%		No pass
23	COM	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-8.04% S	2.56%		Pass
23	COM	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-8.34% S	2.86%		Pass
23	COM	NO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.13%	1.15%		Pass
23	COM	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	3.92% S	0.69%		Pass
23	COM	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	160.17% S	22.53%		
23	COM	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-11.39% S	1.87%		Pass
24	RS	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	18.60% S	14.29%		Pass
24	RS	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf				
24	RS	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	22.75% S	16.48%		Pass
24	RS	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.79%	2.36%		Pass
24	RS	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.65% S	2.27%		Pass
24	RS	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf				
24	RS	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf				
24	RS	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf				
24	RS	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf				
24	RS	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf				
24	RS	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf				
24	RS	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf				
24	RS	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.18% S	0.89%		Pass
24	RS	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf				
24	RS	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf				
24	RS	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.82% S	1.96%		Pass
24	RS	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf				
26	CA	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf				
26	CA	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.08%	1.02%		Pass
26	CA	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf				
26	CA	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf				
26	CA	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf				
26	CA	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf				
26	CA	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.09%	2.48%		Pass
26	CA	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.69%	1.09%		Pass
26	CA	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-37.59% S	6.57%		
26	CA	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.69% S	0.65%		Pass
27	EDU	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.50% S	1.40%		Pass

27	EDU	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.94%	1.07%	Pass
27	EDU	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.62% S	1.47%	Pass
27	EDU	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.96% S	1.23%	Pass
27	EDU	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.31%	0.64%	Pass
27	EDU	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-5.42% S	1.75%	Pass
27	EDU	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.79%	1.72%	Pass
27	EDU	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.31%	1.09%	Pass
27	EDU	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	4.74% S	3.52%	
27	EDU	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.75% S	1.40%	Pass
30	EU	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	54.73% S	16.17%	No pass
30	EU	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.15%	1.87%	Pass
30	EU	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.67%	1.01%	Pass
30	EU	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	24.02% S	3.58%	Pass
30	EU	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	10.06% S	9.40%	Pass
30	EU	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.29% S	0.61%	Pass
30	EU	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	10.09% S	1.72%	Pass
30	EU	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-4.15% S	0.49%	Pass
30	EU	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-14.86% S	10.50%	
30	EU	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-8.50% S	1.49%	Pass
31	SK	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	30.32%	16.14%	Pass
31	SK	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.55% S	2.00%	Pass
31	SK	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	62.78% S	34.46%	No pass
31	SK	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-4.88% S	0.80%	Pass
31	SK	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	7.29% S	1.29%	Pass
31	SK	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	37.62% S	27.43%	No pass
31	SK	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	28.26%	32.86%	No pass
31	SK	HNO3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.84%	1.27%	Pass
31	SK	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.90% S	1.90%	Pass
31	SK	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-5.24% S	1.07%	Pass
31	SK	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-4.37% S	0.74%	Pass
31	SK	NH3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-11.50%	6.89%	Pass
31	SK	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	6.53% S	3.24%	Pass
31	SK	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	121.24%	82.04%	No pass
31	SK	NO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	5.68% S	1.87%	Pass
31	SK	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.18% S	0.49%	Pass
31	SK	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-24.74%	62.06%	No pass
31	SK	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-20.55% S	7.72%	
31	SK	SO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-4.66% S	1.78%	Pass
31	SK	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-8.91% S	3.73%	Pass
31	SK	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	271.53% S	180.97%	No pass

32 LT	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
32 LT	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-5.53% S	2.68%	Pass
32 LT	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.28%	5.70%	Pass
32 LT	HNO3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-6.01% S	0.73%	Pass
32 LT	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.53%	3.69%	Pass
32 LT	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
32 LT	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.05%	11.18%	No pass
32 LT	NH3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.39%	5.27%	Pass
32 LT	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.80%	1.91%	Pass
32 LT	NO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	4.65% S	2.41%	Pass
32 LT	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.64% S	1.68%	Pass
32 LT	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.36% S	5.47%	
32 LT	SO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.13% S	1.78%	Pass
32 LT	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.70%	2.99%	Pass
33 LV	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-11.51% S	5.00%	Pass
33 LV	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-7.87% S	5.79%	Pass
33 LV	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.00%	5.99%	Pass
33 LV	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-10.23% S	1.66%	Pass
33 LV	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	5.91%	3.08%	Pass
33 LV	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-19.87% S	0.49%	Pass
33 LV	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-37.81% S	10.25%	Pass
33 LV	HNO3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.56% S	1.27%	Pass
33 LV	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.48% S	0.89%	Pass
33 LV	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	4.01% S	1.71%	Pass
33 LV	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-6.61% S	1.55%	Pass
33 LV	NH3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	3.86% S	3.65%	Pass
33 LV	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	3.26%	2.48%	Pass
33 LV	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-41.01% S	6.92%	Pass
33 LV	NO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	4.10%	5.56%	Pass
33 LV	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.33% S	0.99%	Pass
33 LV	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-30.77% S	6.89%	Pass
33 LV	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-7.69%	15.24%	
33 LV	SO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-6.86% S	1.48%	Pass
33 LV	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.85% S	1.40%	Pass
33 LV	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-7.72% S	1.85%	Pass
34 TR	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	13.96% S	4.43%	Pass
34 TR	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-7.71%	8.78%	Pass
34 TR	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	42.41% S	16.48%	Pass
34 TR	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	91.25% S	159.18%	No pass
34 TR	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	718.66% S	373.11%	No pass

34 TR	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	24.83% S	2.61%	Pass
34 TR	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.43%	10.13%	Pass
34 TR	HNO3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-4.88% S	2.36%	Pass
34 TR	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	12.16% S	5.92%	Pass
34 TR	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	20.16% S	10.26%	No pass
34 TR	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	5.38% S	11.38%	No pass
34 TR	NH3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-35.72% S	15.84%	No pass
34 TR	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-43.62% S	12.78%	No pass
34 TR	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	23.07% S	5.23%	Pass
34 TR	NO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-9.00% S	19.24%	No pass
34 TR	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-4.30% S	1.58%	Pass
34 TR	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	40.39% S	6.89%	Pass
34 TR	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-32.45% S	26.45%	
34 TR	SO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-18.00% S	2.96%	Pass
34 TR	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	9.49%	9.14%	No pass
34 TR	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-15.21% S	4.04%	Pass
35 HR	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	9.47% S	2.86%	Pass
35 HR	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.00% S	0.60%	Pass
35 HR	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	8.30% S	4.49%	Pass
35 HR	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.44% S	0.70%	Pass
35 HR	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.35%	1.22%	Pass
35 HR	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
35 HR	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
35 HR	HNO3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	3.52% S	1.45%	Pass
35 HR	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.39% S	0.56%	Pass
35 HR	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.90% S	2.14%	Pass
35 HR	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.65% S	0.27%	Pass
35 HR	NH3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	7.21% S	2.23%	Pass
35 HR	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.39%	1.14%	Pass
35 HR	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.66% S	1.31%	Pass
35 HR	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	4.21% S	0.59%	Pass
35 HR	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.28%	0.77%	Pass
35 HR	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-60.19% S	3.27%	
35 HR	SO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.63% S	0.59%	Pass
35 HR	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.76% S	0.75%	Pass
35 HR	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
36 SI	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.60%	0.86%	Pass
36 SI	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.89%	1.20%	Pass
36 SI	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	6.57% S	4.49%	Pass
36 SI	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.52% S	0.27%	Pass

36 SI	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.52% S	1.82%	Pass
36 SI	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
36 SI	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.26% S	0.74%	Pass
36 SI	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-4.36% S	2.46%	Pass
36 SI	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.12% S	0.64%	Pass
36 SI	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.08%	0.88%	Pass
36 SI	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.79%	8.58%	No pass
36 SI	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	11.97%	4.05%	Pass
36 SI	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.61% S	0.79%	Pass
36 SI	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.80% S	0.11%	Pass
36 SI	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-12.88%	26.52%	
36 SI	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.06%	0.65%	Pass
36 SI	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.39%	0.58%	Pass
38 EE	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-11.17% S	2.14%	Pass
38 EE	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	20.31%	9.38%	Pass
38 EE	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-62.76% S	13.48%	Pass
38 EE	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.33% S	0.75%	Pass
38 EE	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.26%	2.87%	Pass
38 EE	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
38 EE	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
38 EE	HNO3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	4.53% S	4.17%	Pass
38 EE	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.11% S	1.01%	Pass
38 EE	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	4.55%	2.99%	Pass
38 EE	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-9.53% S	0.74%	Pass
38 EE	NH3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	9.70% S	3.65%	Pass
38 EE	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	4.97%	4.58%	Pass
38 EE	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-48.52% S	1.57%	Pass
38 EE	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.57% S	0.59%	Pass
38 EE	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-7.89% S	0.44%	Pass
38 EE	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.82%	7.71%	
38 EE	SO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	20.64% S	3.70%	Pass
38 EE	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.08%	0.65%	Pass
38 EE	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-14.68% S	2.89%	Pass
39 PL	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	12.63% S	7.29%	Pass
39 PL	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.47%	1.60%	Pass
39 PL	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.56%	4.49%	Pass
39 PL	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.03%	3.00%	Pass
39 PL	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	3.08%	3.36%	Pass
39 PL	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	4.30% S	0.82%	Pass
39 PL	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-5.91%	12.35%	Pass

39 PL	HNO3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.36%	2.54%	Pass
39 PL	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.30%	1.23%	Pass
39 PL	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.90% S	1.92%	Pass
39 PL	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.89%	0.61%	Pass
39 PL	NH3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.59% S	0.81%	Pass
39 PL	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.16%	4.96%	Pass
39 PL	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-5.14%	14.24%	Pass
39 PL	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.88%	1.29%	Pass
39 PL	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-17.03% S	5.62%	Pass
39 PL	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	26.03% S	20.31%	
39 PL	SO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.21%	1.63%	Pass
39 PL	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	4.31%	4.67%	Pass
39 PL	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
40 MK	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
40 MK	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	11.57% S	6.00%	Pass
40 MK	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-7.84% S	3.60%	Pass
40 MK	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
40 MK	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
40 MK	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
40 MK	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-35.97% S	3.43%	Pass
40 MK	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	3.09%	8.11%	No pass
40 MK	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	35.04% S	21.15%	
40 MK	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
41 NET	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.03%	2.43%	Pass
41 NET	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	12.66%	13.48%	Pass
41 NET	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	4.18% S	2.12%	Pass
41 NET	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-4.63% S	2.10%	Pass
41 NET	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.81%	2.22%	Pass
41 NET	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.14% S	1.16%	Pass
41 NET	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	3.65% S	3.01%	Pass
43 COM	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	11.74%	12.72%	Pass
43 COM	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
43 COM	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	79.96% S	19.48%	Pass
43 COM	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.85%	29.07%	No pass
43 COM	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
43 COM	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	206.26% S	52.58%	No pass
43 COM	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	427.96% S	103.51%	No pass
43 COM	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
43 COM	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
43 COM	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			

43	COM	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
43	COM	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	109.72% S	47.29%	No pass
43	COM	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	50.96%	38.65%	No pass
43	COM	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-28.01% S	5.95%	Pass
43	COM	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
43	COM	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	12.24%	22.40%	No pass
43	COM	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	110.60% S	71.18%	No pass
45	COM	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	5.63% S	1.36%	Pass
45	COM	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.14%	0.74%	Pass
45	COM	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.94%	1.85%	Pass
45	COM	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	6.18% S	2.01%	Pass
45	COM	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	11.40% S	4.96%	Pass
45	COM	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	9.64% S	2.64%	Pass
45	COM	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	63.65% S	59.33%	No pass
45	COM	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.05% S	0.71%	Pass
45	COM	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	122.11% S	19.14%	
45	COM	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.42%	1.19%	Pass
46	PL	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
46	PL	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
46	PL	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.06%	1.05%	Pass
46	PL	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
46	PL	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
46	PL	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
46	PL	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
46	PL	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
46	PL	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	14.94% S	8.50%	
46	PL	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
48	BE	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	3.61% S	1.43%	Pass
48	BE	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.72% S	3.00%	Pass
48	BE	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	4.85% S	4.25%	Pass
48	BE	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.71%	2.84%	Pass
48	BE	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	4.01%	3.00%	Pass
48	BE	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	5.86% S	1.60%	Pass
48	BE	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	19.43% S	3.48%	Pass
49	CY	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	18.90% S	4.29%	Pass
49	CY	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	3.87% S	2.00%	Pass
49	CY	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	8.35% S	3.00%	Pass
49	CY	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.89% S	1.23%	Pass
49	CY	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
49	CY	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.75% S	1.14%	Pass

49	CY	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	10.17% S	3.09%	Pass
49	CY	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-4.18% S	0.45%	Pass
49	CY	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	4.27% S	2.56%	Pass
49	CY	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.70% S	0.74%	Pass
49	CY	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	6.10% S	2.67%	Pass
49	CY	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	6.85% S	1.57%	Pass
49	CY	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-4.01% S	1.09%	Pass
49	CY	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.33% S	1.16%	Pass
49	CY	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
49	CY	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-5.95% S	0.84%	Pass
49	CY	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	37.22% S	1.63%	Pass
50	FR	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-34.82% S	11.18%	Pass
50	FR	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.31% S	0.37%	Pass
50	FR	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	6.53% S	1.01%	Pass
50	FR	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-6.37% S	7.82%	Pass
50	FR	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-9.18% S	1.07%	Pass
50	FR	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-7.13% S	1.08%	Pass
50	FR	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.40%	4.01%	Pass
50	FR	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.13% S	0.69%	Pass
50	FR	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-15.85%	31.53%	
50	FR	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-7.52% S	0.56%	Pass
51	COM	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	5.75% S	2.57%	Pass
51	COM	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	9.17% S	8.99%	Pass
51	COM	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.96% S	2.29%	Pass
51	COM	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	3.70% S	0.86%	Pass
51	COM	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	3.51% S	1.44%	Pass
51	COM	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	4.62% S	0.22%	Pass
51	COM	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	7.49% S	0.87%	Pass
53	IT	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	7.57% S	3.57%	Pass
53	IT	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	38.76% S	9.18%	Pass
53	IT	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	11.72%	13.48%	Pass
53	IT	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.90%	4.98%	Pass
53	IT	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
53	IT	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	3.79%	8.49%	Pass
53	IT	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.25%	7.41%	Pass
53	IT	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.13%	2.01%	Pass
53	IT	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	14.19% S	2.78%	Pass
53	IT	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-10.47% S	1.35%	Pass
53	IT	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-83.88% S	7.06%	No pass
53	IT	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.93%	3.92%	Pass

53 IT	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	16.97% S	1.88%	Pass
53 IT	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.93%	1.76%	Pass
53 IT	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
53 IT	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	23.75% S	10.08%	No pass
53 IT	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.73%	3.59%	Pass
54 PL	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
54 PL	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-16.43% S	2.60%	Pass
54 PL	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-14.90% S	4.49%	Pass
54 PL	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-5.20% S	2.30%	Pass
54 PL	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.37%	1.82%	Pass
54 PL	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-6.33% S	2.45%	Pass
54 PL	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
54 PL	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-8.96% S	1.45%	Pass
54 PL	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-9.43% S	1.92%	Pass
54 PL	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-14.62% S	1.95%	Pass
54 PL	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	11.76% S	1.72%	Pass
54 PL	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
54 PL	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-13.14% S	3.36%	Pass
54 PL	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	9.49% S	4.91%	Pass
54 PL	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-25.90% S	21.59%	
54 PL	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	163.69% S	71.39%	No pass
54 PL	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-12.42% S	0.81%	Pass
110 DE	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-5.43%	4.14%	Pass
110 DE	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-17.66% S	1.60%	Pass
110 DE	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.72%	3.00%	Pass
110 DE	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-9.96% S	2.84%	Pass
110 DE	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-4.69% S	1.92%	Pass
110 DE	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	6.68% S	1.80%	Pass
110 DE	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-7.33%	4.94%	Pass
110 DE	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-11.56% S	0.78%	Pass
110 DE	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.16%	0.64%	Pass
110 DE	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-4.80% S	1.08%	Pass
110 DE	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-5.96% S	2.29%	Pass
110 DE	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.67% S	1.18%	Pass
110 DE	NO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.03% S	1.07%	Pass
110 DE	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-6.98% S	0.69%	Pass
110 DE	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	6.87% S	1.38%	Pass
110 DE	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	66.00% S	6.64%	
110 DE	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.41%	3.55%	Pass
110 DE	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-8.71%	8.22%	Pass

112 DE	As	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	11.78% S	4.71%	Pass
112 DE	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	-3.90% S	1.60%	Pass
112 DE	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	9.47% S	4.49%	Pass
112 DE	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	-2.70% S	1.98%	Pass
112 DE	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	-7.32% S	1.50%	Pass
112 DE	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	4.12% S	0.57%	Pass
112 DE	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	3.99% S	1.48%	Pass
112 DE	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	1.45% S	1.12%	Pass
112 DE	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	1.45% S	1.07%	Pass
112 DE	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	2.53% S	0.67%	Pass
112 DE	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	1.32%	3.05%	Pass
112 DE	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	3.94% S	1.57%	Pass
112 DE	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	-0.87% S	0.69%	Pass
112 DE	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	4.55% S	0.55%	Pass
112 DE	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	-12.88%	12.41%	
112 DE	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	2.80% S	1.68%	Pass
112 DE	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	18.76% S	2.08%	Pass
114 IT	As	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf			
114 IT	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	14.00% S	6.19%	Pass
114 IT	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	273.64%	13.48%	Pass
114 IT	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	-5.85%	3.00%	Pass
114 IT	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	-1.23% S	0.87%	Pass
114 IT	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	-59.76% S	9.96%	Pass
114 IT	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf			
114 IT	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	0.12%	2.12%	Pass
114 IT	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	9.53% S	5.77%	Pass
114 IT	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	-1.39%	2.02%	Pass
114 IT	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	-6.78% S	1.14%	Pass
114 IT	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	120.34%	105.69%	No pass
114 IT	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	-1.23% S	0.69%	Pass
114 IT	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	-58.96% S	6.23%	Pass
114 IT	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	-16.47% S	12.02%	
114 IT	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	-3.56% S	2.24%	Pass
114 IT	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	3.52% S	2.55%	Pass
115 DE	As	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	11.83% S	5.00%	Pass
115 DE	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	-7.21% S	2.20%	Pass
115 DE	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	13.81% S	3.00%	Pass
115 DE	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	-5.44% S	0.54%	Pass
115 DE	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	-8.85% S	1.92%	Pass
115 DE	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccq/gameasure/emep40.pdf	1.17% S	1.47%	Pass

115 DE	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.05%	1.24%	Pass
115 DE	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	11.78%	6.82%	Pass
115 DE	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-7.44% S	1.92%	Pass
115 DE	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.36% S	0.74%	Pass
115 DE	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.91%	1.72%	Pass
115 DE	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-13.99% S	0.78%	Pass
115 DE	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-7.54% S	0.79%	Pass
115 DE	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-4.26% S	0.72%	Pass
115 DE	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	3.58%	6.50%	
115 DE	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-6.12% S	1.77%	Pass
115 DE	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	6.60% S	1.16%	Pass
116 CH	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	10.24% S	2.40%	Pass
116 CH	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.75%	2.71%	Pass
116 CH	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-7.55% S	2.17%	Pass
116 CH	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	8.73% S	3.46%	Pass
116 CH	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	16.74% S	3.63%	Pass
116 CH	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	7.30% S	3.57%	Pass
116 CH	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.95% S	1.72%	Pass
116 CH	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-5.08% S	2.41%	Pass
116 CH	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.34%	11.75%	
116 CH	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.29% S	2.24%	Pass
117 DE	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
117 DE	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-9.32% S	1.20%	Pass
117 DE	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
117 DE	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-12.26% S	5.46%	Pass
117 DE	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.56% S	0.52%	Pass
117 DE	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-100.00% S	0.00%	Pass
117 DE	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-20.63% S	8.65%	Pass
117 DE	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-8.99% S	9.17%	Pass
117 DE	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.94%	1.50%	Pass
117 DE	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	5.96% S	1.28%	Pass
117 DE	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.66% S	2.48%	Pass
117 DE	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
117 DE	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.48%	0.89%	Pass
117 DE	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	12.34% S	4.68%	Pass
117 DE	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	5.93% S	2.53%	
117 DE	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.98%	2.05%	Pass
117 DE	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
118 DE	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
118 DE	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-18.48% S	3.59%	Pass

118 DE	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	205.17% S	17.98%	Pass
118 DE	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-5.98% S	1.93%	Pass
118 DE	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-10.24% S	3.67%	Pass
118 DE	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
118 DE	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
118 DE	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-7.46% S	9.17%	Pass
118 DE	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-12.06% S	0.85%	Pass
118 DE	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-10.32% S	1.35%	Pass
118 DE	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-8.34% S	13.54%	No pass
118 DE	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
118 DE	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.10% S	1.48%	Pass
118 DE	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	224.56% S	79.09%	No pass
118 DE	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-7.74%	9.39%	
118 DE	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	11.98% S	5.79%	No pass
118 DE	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	99.38% S	37.84%	No pass
120 DE	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	8.10% S	5.14%	Pass
120 DE	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.39%	2.00%	Pass
120 DE	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.40%	8.99%	Pass
120 DE	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.04%	1.50%	Pass
120 DE	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.56% S	0.87%	Pass
120 DE	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.77%	8.49%	Pass
120 DE	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.36%	14.08%	Pass
120 DE	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-14.09% S	2.12%	Pass
120 DE	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.27%	1.28%	Pass
120 DE	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.74% S	0.54%	Pass
120 DE	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.91% S	1.14%	Pass
120 DE	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.56% S	2.74%	Pass
120 DE	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-4.41% S	0.89%	Pass
120 DE	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.06%	0.88%	Pass
120 DE	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-16.80% S	5.88%	
120 DE	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.11%	1.03%	Pass
120 DE	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	9.72% S	2.55%	Pass
121 DE	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.90%	0.71%	Pass
121 DE	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-4.09% S	2.40%	Pass
121 DE	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
121 DE	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-12.05% S	1.93%	Pass
121 DE	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-10.47% S	1.22%	Pass
121 DE	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	5.22%	1.47%	Pass
121 DE	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	17.79% S	2.72%	Pass
121 DE	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	3.92% S	1.90%	Pass

121 DE	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.16%	1.07%	Pass
121 DE	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	3.27%	4.71%	Pass
121 DE	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-6.02% S	1.14%	Pass
121 DE	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	4.49% S	2.74%	Pass
121 DE	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.62% S	0.59%	Pass
121 DE	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-15.32% S	2.09%	Pass
121 DE	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-6.67% S	1.27%	
121 DE	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	13.27%	10.08%	No pass
121 DE	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-16.17% S	2.55%	Pass
124 BE	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.59% S	1.40%	Pass
124 BE	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-5.47% S	0.54%	Pass
124 BE	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	3.02%	30.40%	No pass
124 BE	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.48%	3.02%	Pass
124 BE	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.54%	1.50%	Pass
124 BE	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.26%	2.42%	Pass
124 BE	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
124 BE	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-6.54% S	1.88%	Pass
124 BE	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-30.01% S	1.69%	
124 BE	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-5.52% S	2.24%	Pass
125 DE	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	16.75% S	5.00%	Pass
125 DE	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-5.56% S	4.39%	Pass
125 DE	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	5.47%	6.44%	Pass
125 DE	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.16% S	0.86%	Pass
125 DE	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.94% S	0.87%	Pass
125 DE	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.92%	0.82%	Pass
125 DE	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	3.73% S	1.11%	Pass
125 DE	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.27%	0.67%	Pass
125 DE	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.73%	1.62%	Pass
125 DE	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-6.00% S	1.35%	Pass
125 DE	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	8.64% S	2.86%	Pass
125 DE	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.85%	2.09%	Pass
125 DE	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.48% S	0.79%	Pass
125 DE	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.42%	2.59%	Pass
125 DE	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.25%	11.03%	
125 DE	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.96% S	0.37%	Pass
125 DE	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	8.15% S	2.55%	Pass
129 COM	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	16.93%	33.00%	No pass
129 COM	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-15.81%	38.95%	No pass
129 COM	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.79%	17.96%	Pass
129 COM	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-99.25% S	24.70%	Pass

129	COM	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-70.51% S	10.19%	Pass
129	COM	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-16.64% S	2.42%	Pass
129	COM	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-53.86% S	12.05%	Pass
145	EE	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-4.05% S	1.57%	Pass
145	EE	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-13.37% S	4.79%	Pass
145	EE	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.22%	6.59%	Pass
145	EE	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-5.55% S	1.66%	Pass
145	EE	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.01%	1.57%	Pass
145	EE	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.11%	1.63%	Pass
145	EE	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.91%	2.84%	Pass
145	EE	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.51% S	1.90%	Pass
145	EE	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-8.61% S	3.87%	Pass
145	EE	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-4.54% S	1.68%	Pass
145	EE	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.82% S	1.72%	Pass
145	EE	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.94% S	1.57%	Pass
145	EE	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.45%	2.37%	Pass
145	EE	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.98%	1.65%	Pass
145	EE	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-19.99% S	10.50%	
145	EE	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.11%	2.15%	Pass
145	EE	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.68%	1.27%	Pass
146	LU	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-4.89% S	2.29%	Pass
146	LU	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	32.46% S	4.49%	Pass
146	LU	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-7.04% S	2.94%	Pass
146	LU	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	4.39% S	2.22%	Pass
146	LU	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.66% S	1.44%	Pass
146	LU	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.78%	3.09%	Pass
146	LU	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	6.48% S	4.42%	Pass
153	SI	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	6.18% S	5.79%	Pass
153	SI	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	89.25% S	111.20%	No pass
153	SI	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	7.63% S	0.56%	Pass
153	SI	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.81% S	0.45%	Pass
153	SI	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	6.38% S	3.21%	Pass
153	SI	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	10.80% S	2.90%	Pass
153	SI	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.53%	2.10%	Pass
153	SI	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.11%	0.69%	Pass
153	SI	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	28.03% S	16.77%	
153	SI	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.32% S	0.84%	Pass
155	UK	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-4.11% S	1.80%	Pass
155	UK	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.48% S	0.64%	Pass
155	UK	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.89% S	1.08%	Pass

155 UK	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-4.74% S	1.45%	Pass
155 UK	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.05% S	1.28%	Pass
155 UK	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.35%	1.01%	Pass
155 UK	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	5.58% S	1.72%	Pass
155 UK	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-4.06% S	0.40%	Pass
155 UK	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-12.53% S	13.48%	
155 UK	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.94% S	0.75%	Pass
158 ASIA	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.80%	36.53%	No pass
158 ASIA	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.06%	1.39%	Pass
158 ASIA	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.28%	0.45%	Pass
158 ASIA	HNO3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-4.25% S	1.45%	Pass
158 ASIA	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.82% S	0.34%	Pass
158 ASIA	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.90% S	1.71%	Pass
158 ASIA	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.08%	0.13%	Pass
158 ASIA	NH3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-4.86% S	3.04%	Pass
158 ASIA	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.24% S	1.53%	Pass
158 ASIA	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.94% S	1.09%	Pass
158 ASIA	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-24.97% S	11.72%	
158 ASIA	SO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-6.40% S	1.63%	Pass
158 ASIA	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.59%	0.65%	Pass
166 PL	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
166 PL	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-6.30% S	1.80%	Pass
166 PL	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
166 PL	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.36%	0.70%	Pass
166 PL	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	3.39% S	0.70%	Pass
166 PL	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
166 PL	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
166 PL	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
166 PL	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	7.59% S	5.77%	Pass
166 PL	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.33% S	2.15%	Pass
166 PL	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	4.37% S	0.57%	Pass
166 PL	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
166 PL	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.97% S	0.49%	Pass
166 PL	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
166 PL	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	27.43% S	7.21%	
166 PL	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.63%	0.75%	Pass
166 PL	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	8.41% S	2.63%	Pass
169 UK	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-8.07%	6.00%	Pass
169 UK	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.28%	5.99%	Pass
169 UK	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	20.63% S	3.92%	Pass

169 UK	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	3.22%	2.96%	Pass
169 UK	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.13%	3.92%	Pass
169 UK	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.11% S	0.39%	Pass
169 UK	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	5.38% S	2.31%	Pass
171 FR	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-9.52% S	3.54%	Pass
171 FR	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.23%	4.94%	Pass
171 FR	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.66%	2.09%	Pass
171 FR	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.17%	4.18%	Pass
171 FR	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.34%	4.60%	Pass
171 FR	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.29% S	0.87%	Pass
171 FR	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-8.66% S	2.82%	Pass
179 RU	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
179 RU	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
179 RU	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
179 RU	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.38%	5.46%	Pass
179 RU	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	4.86% S	5.17%	Pass
179 RU	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
179 RU	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
179 RU	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
179 RU	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
179 RU	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
179 RU	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
179 RU	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
179 RU	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-13.67% S	0.89%	Pass
179 RU	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
179 RU	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	24.53%	32.56%	
179 RU	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-8.19% S	4.01%	Pass
179 RU	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	178.13% S	18.52%	Pass
183 RS	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
183 RS	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
183 RS	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	18.88% S	4.90%	Pass
183 RS	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	4.29%	5.19%	Pass
183 RS	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	9.45% S	2.87%	Pass
183 RS	NO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	3.48% S	1.07%	Pass
183 RS	NO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	3.48% S	1.07%	Pass
183 RS	NO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	3.48% S	1.07%	Pass
183 RS	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
183 RS	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	10.02% S	6.02%	Pass
184 RS	NO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.00%	0.27%	Pass
184 RS	NO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.00%	0.27%	Pass

185	ORG	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
185	ORG	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
185	ORG	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
185	ORG	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
185	ORG	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
185	ORG	NO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.87% S	0.27%	Pass
185	ORG	NO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.87% S	0.27%	Pass
185	ORG	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
185	ORG	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
187	COM	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-8.21%	8.43%	Pass
187	COM	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-25.41% S	4.99%	Pass
187	COM	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	54.97%	95.88%	No pass
187	COM	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
187	COM	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
187	COM	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	19.34%	15.68%	Pass
187	COM	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	27.15% S	13.71%	Pass
187	COM	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-41.86% S	5.37%	Pass
187	COM	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-13.62% S	3.85%	Pass
187	COM	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-26.14% S	2.83%	Pass
187	COM	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
187	COM	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	473.07% S	55.78%	No pass
187	COM	NO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.38%	2.67%	Pass
187	COM	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
187	COM	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	3.57% S	1.32%	Pass
187	COM	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
187	COM	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
187	COM	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	8.05%	8.33%	Pass
188	COM	NO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.33% S	1.07%	Pass
189	RS	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	60.48% S	6.19%	Pass
189	RS	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
189	RS	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
189	RS	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-5.97% S	3.13%	Pass
189	RS	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-10.81% S	3.21%	Pass
189	RS	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.85%	7.14%	Pass
189	RS	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
189	RS	NO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.37% S	1.07%	Pass
189	RS	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
189	RS	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
189	RS	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
193	RS	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	6.34%	6.43%	Pass

193 RS	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
193 RS	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
193 RS	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	24.50% S	13.09%	Pass
193 RS	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
193 RS	NO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.90%	2.94%	Pass
193 RS	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	9.53%	0.00%	Pass
193 RS	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	13.82% S	7.75%	Pass
198 RS	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
198 RS	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
198 RS	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
198 RS	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.32%	2.68%	Pass
198 RS	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
198 RS	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	4.98%	5.66%	Pass
198 RS	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
198 RS	NO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.41%	1.87%	Pass
198 RS	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
198 RS	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
198 RS	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
200 CH	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	9.90% S	5.99%	Pass
200 CH	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-5.69% S	1.39%	Pass
200 CH	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.72% S	0.73%	Pass
200 CH	HNO3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.51% S	1.63%	Pass
200 CH	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.04% S	0.78%	Pass
200 CH	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	5.45% S	4.49%	Pass
200 CH	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.86%	1.08%	Pass
200 CH	NH3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-5.46% S	3.44%	Pass
200 CH	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.20%	1.14%	Pass
200 CH	NO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.00% S	0.00%	Pass
200 CH	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.00%	0.99%	Pass
200 CH	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
200 CH	SO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.96% S	1.04%	Pass
200 CH	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.35%	2.99%	Pass
201 RS	HNO3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
201 RS	NO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.90%	6.15%	Pass
201 RS	SO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-35.90% S	26.53%	No pass
203 COM	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
203 COM	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
203 COM	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
203 COM	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
203 COM	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			

203	COM	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
203	COM	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
203	COM	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-5.15%	4.92%	Pass
203	COM	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-5.55%	3.42%	Pass
203	COM	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	0.15%	8.22%	Pass
203	COM	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
203	COM	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
203	COM	NO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	5.02% S	1.07%	Pass
203	COM	NO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	5.02% S	1.07%	Pass
203	COM	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
203	COM	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
203	COM	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
203	COM	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
203	COM	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
207	RS	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
207	RS	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
207	RS	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
207	RS	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.57%	1.93%	Pass
207	RS	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
207	RS	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
207	RS	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
207	RS	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-10.62% S	4.36%	Pass
207	RS	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-0.54%	2.99%	Pass
207	RS	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-12.03% S	2.69%	Pass
207	RS	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
207	RS	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
207	RS	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-3.99% S	1.58%	Pass
207	RS	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
207	RS	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
207	RS	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	5.37% S	2.24%	Pass
207	RS	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
208	RS	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
208	RS	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
208	RS	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
208	RS	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.68% S	1.22%	Pass
208	RS	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
208	RS	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
208	RS	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
208	RS	HNO3	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-5.79%	9.07%	Pass
208	RS	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-10.62% S	3.24%	Pass

208 RS	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-53.12% S	0.00%	Pass
208 RS	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-12.81% S	6.94%	Pass
208 RS	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
208 RS	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
208 RS	NO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	49.40% S	21.86%	No pass
208 RS	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.88% S	1.04%	Pass
208 RS	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
208 RS	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-7.69%	7.47%	
208 RS	SO2	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	1.57%	7.71%	Pass
208 RS	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-4.29% S	0.58%	Pass
208 RS	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-66.64% S	13.31%	Pass
209 RS	As	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
209 RS	Ca in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
209 RS	Cd	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
209 RS	Cl in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-7.93% S	3.32%	Pass
209 RS	Cond in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-8.13% S	5.24%	Pass
209 RS	Cr	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
209 RS	Cu	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
209 RS	K in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	2.42%	18.55%	Pass
209 RS	Mg in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-1.88% S	0.00%	Pass
209 RS	Na in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-13.59%	6.60%	Pass
209 RS	NH4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	12.32%	8.78%	No pass
209 RS	Ni	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			
209 RS	NO3 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-9.72% S	1.78%	Pass
209 RS	Pb	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	86.85% S	14.99%	Pass
209 RS	pH in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-7.69%	7.47%	
209 RS	SO4 in precip	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf	-2.66% S	7.37%	No pass
209 RS	Zn	EMEP40	20230228	http://www.nilu.no/projects/ccc/qameasure/emep40.pdf			