

Lab number	Lab name	Component	QA measure ID	QA date	QA document url	QA bias	QA variability	QA outcome
3	CZ	As	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.04% S	0.78%	Pass
3	CZ	Ca in precip	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.18%	5.45%	Pass
3	CZ	Cd	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.85%	5.84%	Pass
3	CZ	Cl in precip	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	2.49% S	1.29%	Pass
3	CZ	Cond in precip	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.29%	2.30%	Pass
3	CZ	Cr	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.95% S	0.13%	Pass
3	CZ	Cu	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.98% S	0.52%	Pass
3	CZ	K in precip	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.39%	2.21%	Pass
3	CZ	Mg in precip	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.37%	1.90%	Pass
3	CZ	Na in precip	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.22%	2.96%	Pass
3	CZ	NH3	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.88%	4.89%	Pass
3	CZ	NH4 in precip	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	14.12%	11.38%	No pass
3	CZ	Ni	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.42% S	0.65%	Pass
3	CZ	NO3 in precip	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.16%	0.89%	Pass
3	CZ	Pb	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.77% S	0.96%	Pass
3	CZ	pH in precip	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-58.74% S	7.24%	
3	CZ	SO4 in precip	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.54%	2.17%	Pass
3	CZ	Zn	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	4.11% S	0.65%	Pass
4	DK	As	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-13.10% S	2.48%	Pass
4	DK	Ca in precip	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-12.48% S	3.85%	Pass
4	DK	Cd	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
4	DK	Cl in precip	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.26% S	0.27%	Pass
4	DK	Cond in precip	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
4	DK	Cr	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.72%	0.80%	Pass
4	DK	Cu	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.60%	21.25%	Pass
4	DK	K in precip	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-5.59%	9.32%	Pass
4	DK	Mg in precip	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-10.75% S	1.98%	Pass
4	DK	Na in precip	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.29% S	0.39%	Pass
4	DK	NH3	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-10.52% S	3.39%	Pass
4	DK	NH4 in precip	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.43%	4.36%	Pass
4	DK	Ni	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-6.24% S	1.40%	Pass
4	DK	NO3 in precip	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.58% S	0.30%	Pass
4	DK	Pb	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-7.46% S	1.00%	Pass
4	DK	pH in precip	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	3.52% S	3.81%	
4	DK	SO4 in precip	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	3.59% S	1.06%	Pass
4	DK	Zn	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	4.95% S	1.14%	Pass
5	FI	As	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.26%	1.69%	Pass
5	FI	Ca in precip	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.88%	5.26%	Pass
5	FI	Cd	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.59%	2.17%	Pass
5	FI	Cl in precip	EMEP43	20250105	https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.23% S	0.26%	Pass

5	FI	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	6.07% S	9.75%	No pass
5	FI	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.57% S	0.84%	Pass
5	FI	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.79%	3.59%	Pass
5	FI	HNO3	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.67%	3.59%	Pass
5	FI	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.80%	1.89%	Pass
5	FI	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.54% S	0.95%	Pass
5	FI	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.00% S	0.44%	Pass
5	FI	NH3	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-4.64%	4.07%	Pass
5	FI	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	5.41% S	6.56%	Pass
5	FI	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.80% S	2.06%	Pass
5	FI	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.36%	17.89%	No pass
5	FI	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.03%	1.00%	Pass
5	FI	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	4.82%	49.66%	
5	FI	SO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-11.27% S	4.25%	Pass
5	FI	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.26% S	0.51%	Pass
5	FI	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.10%	1.89%	Pass
6	COM	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.89%	3.27%	Pass
6	COM	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-6.68% S	1.22%	Pass
6	COM	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
6	COM	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-5.90% S	0.91%	Pass
6	COM	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	3.18% S	0.95%	Pass
6	COM	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
6	COM	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
6	COM	HNO3	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-4.17%	7.49%	Pass
6	COM	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-4.37% S	1.57%	Pass
6	COM	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-4.58% S	0.87%	Pass
6	COM	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.06% S	0.49%	Pass
6	COM	NH3	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-15.14% S	4.26%	Pass
6	COM	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-4.07% S	1.82%	Pass
6	COM	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
6	COM	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.59%	0.82%	Pass
6	COM	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-5.48% S	1.00%	Pass
6	COM	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	15.09%	21.43%	
6	COM	SO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-23.22% S	4.58%	Pass
6	COM	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-6.19% S	1.05%	Pass
6	COM	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
8	DE	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	2.10% S	0.91%	Pass
8	DE	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	4.02% S	0.96%	Pass
8	DE	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.75%	1.49%	Pass
8	DE	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.69% S	0.30%	Pass
8	DE	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	2.53% S	1.28%	Pass

8	DE	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.82%	13.19%	Pass
8	DE	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	4.03% S	1.14%	Pass
8	DE	HNO3	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.28% S	3.44%	Pass
8	DE	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-6.44% S	0.49%	Pass
8	DE	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.92% S	0.79%	Pass
8	DE	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.31% S	0.42%	Pass
8	DE	NH3	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	6.77% S	1.43%	Pass
8	DE	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.35% S	0.76%	Pass
8	DE	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.03%	1.31%	Pass
8	DE	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.77% S	0.30%	Pass
8	DE	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.58% S	0.60%	Pass
8	DE	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	2.57%	2.09%	
8	DE	SO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.95%	3.52%	Pass
8	DE	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.82% S	0.21%	Pass
8	DE	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.66%	0.72%	Pass
10	HU	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-37.94% S	11.63%	Pass
10	HU	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-4.04%	6.10%	Pass
10	HU	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
10	HU	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.12% S	0.92%	Pass
10	HU	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	8.43% S	0.55%	Pass
10	HU	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
10	HU	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
10	HU	HNO3	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-13.24% S	3.36%	Pass
10	HU	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.76% S	2.45%	Pass
10	HU	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-8.42% S	0.79%	Pass
10	HU	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.33% S	3.11%	Pass
10	HU	NH3	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	13.15% S	6.71%	Pass
10	HU	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-26.83% S	2.84%	Pass
10	HU	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
10	HU	NO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-5.21% S	0.88%	Pass
10	HU	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-8.24% S	2.09%	Pass
10	HU	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-47.87% S	13.10%	Pass
10	HU	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-41.81% S	30.60%	
10	HU	SO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-11.13% S	3.15%	Pass
10	HU	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.98% S	0.81%	Pass
10	HU	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
12	IE	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-10.58% S	1.60%	Pass
12	IE	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-6.23% S	1.35%	Pass
12	IE	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.21% S	1.02%	Pass
12	IE	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.91%	4.41%	Pass
12	IE	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-5.87% S	4.04%	Pass

12	IE	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-6.86% S	1.55%	Pass
12	IE	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	3.35%	2.47%	Pass
12	IE	NO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.43%	1.47%	Pass
12	IE	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.58% S	1.64%	Pass
12	IE	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	14.82% S	2.00%	
12	IE	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.51% S	1.06%	Pass
13	IT	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	26.28% S	2.57%	Pass
13	IT	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.60%	18.97%	No pass
13	IT	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	57.25% S	28.54%	No pass
13	IT	HNO3	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-7.97%	17.13%	No pass
13	IT	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-7.97% S	3.19%	Pass
13	IT	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-4.54% S	2.78%	Pass
13	IT	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.24%	0.67%	Pass
13	IT	NH3	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-10.96% S	6.54%	Pass
13	IT	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.93% S	0.95%	Pass
13	IT	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.04% S	40.97%	No pass
13	IT	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-99.47% S	13.14%	
13	IT	SO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	51.66%	53.85%	No pass
13	IT	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.14%	4.36%	Pass
15	NO	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-5.34% S	1.96%	Pass
15	NO	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.10% S	1.92%	Pass
15	NO	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.30%	1.63%	Pass
15	NO	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.71%	1.32%	Pass
15	NO	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.68%	3.06%	Pass
15	NO	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.81% S	0.80%	Pass
15	NO	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.90% S	0.83%	Pass
15	NO	HNO3	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.57%	3.44%	Pass
15	NO	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.01%	8.09%	Pass
15	NO	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.12%	4.76%	Pass
15	NO	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.39%	1.02%	Pass
15	NO	NH3	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.39% S	1.90%	Pass
15	NO	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	8.46% S	4.55%	Pass
15	NO	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.50% S	0.84%	Pass
15	NO	NO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-7.31% S	0.88%	Pass
15	NO	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.19%	7.60%	No pass
15	NO	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.45%	0.67%	Pass
15	NO	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	4.72% S	16.01%	
15	NO	SO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-7.05% S	10.56%	No pass
15	NO	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.24%	1.06%	Pass
15	NO	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.72% S	0.15%	Pass
16	PL	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			

16	PL	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.72%	1.92%	Pass
16	PL	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-33.28% S	12.50%	Pass
16	PL	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-4.17% S	0.75%	Pass
16	PL	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	3.39% S	1.05%	Pass
16	PL	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-59.63% S	11.11%	Pass
16	PL	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-72.05% S	11.41%	Pass
16	PL	HNO3	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.13%	4.48%	Pass
16	PL	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-4.50% S	1.96%	Pass
16	PL	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.88%	1.19%	Pass
16	PL	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.33%	1.24%	Pass
16	PL	NH3	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	2.98%	4.89%	Pass
16	PL	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-6.19% S	2.84%	Pass
16	PL	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-46.70% S	8.93%	Pass
16	PL	NO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.50% S	1.17%	Pass
16	PL	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-5.24% S	1.79%	Pass
16	PL	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-16.09% S	5.99%	Pass
16	PL	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	14.82% S	5.08%	
16	PL	SO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-6.19% S	5.47%	Pass
16	PL	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.90% S	0.29%	Pass
16	PL	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-65.22% S	9.72%	Pass
19	ES	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-9.32% S	1.28%	Pass
19	ES	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-4.43% S	2.69%	Pass
19	ES	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	6.52% S	0.66%	Pass
19	ES	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-14.71% S	4.17%	Pass
19	ES	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-5.14% S	0.48%	Pass
19	ES	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-10.46% S	1.13%	Pass
19	ES	NH3	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-47.97% S	5.02%	Pass
19	ES	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-59.18% S	0.00%	Pass
19	ES	NO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	4.21% S	1.76%	Pass
19	ES	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-4.80%	6.70%	No pass
19	ES	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	14.29% S	1.19%	
19	ES	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.81%	2.13%	Pass
20	SE	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	4.57% S	1.05%	Pass
20	SE	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.06% S	2.25%	Pass
20	SE	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	4.47% S	0.95%	Pass
20	SE	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.86% S	0.27%	Pass
20	SE	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	4.49% S	0.95%	Pass
20	SE	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.26%	0.93%	Pass
20	SE	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.70% S	0.31%	Pass
20	SE	HNO3	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-29.72% S	4.22%	Pass
20	SE	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-4.06% S	0.74%	Pass

20	SE	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.98% S	1.59%	Pass
20	SE	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-9.57% S	4.24%	Pass
20	SE	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.02%	3.03%	Pass
20	SE	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.08% S	0.56%	Pass
20	SE	NO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.97% S	1.17%	Pass
20	SE	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.65%	0.89%	Pass
20	SE	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.76% S	0.33%	Pass
20	SE	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	4.71% S	3.50%	
20	SE	SO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-4.30% S	4.69%	Pass
20	SE	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.10%	0.59%	Pass
20	SE	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	7.81% S	1.29%	Pass
21	CH	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.76% S	1.28%	Pass
21	CH	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.49% S	0.32%	Pass
21	CH	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	2.09% S	0.95%	Pass
21	CH	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.28% S	0.49%	Pass
21	CH	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	2.83% S	0.71%	Pass
21	CH	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.79%	1.09%	Pass
21	CH	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.16% S	0.95%	Pass
21	CH	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.55%	1.64%	Pass
21	CH	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	7.15% S	1.40%	
21	CH	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	3.91% S	0.23%	Pass
22	COM	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
22	COM	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	51.85% S	11.55%	Pass
22	COM	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.72%	5.71%	Pass
22	COM	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.74%	0.73%	Pass
22	COM	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	2.62%	16.58%	No pass
22	COM	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
22	COM	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-8.80% S	4.87%	Pass
22	COM	HNO3	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	14.70%	7.67%	Pass
22	COM	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.87%	4.66%	Pass
22	COM	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	11.06% S	3.89%	Pass
22	COM	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	8.86% S	2.19%	Pass
22	COM	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	16.86% S	4.93%	Pass
22	COM	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
22	COM	NO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.63%	5.87%	Pass
22	COM	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	21.09% S	5.81%	No pass
22	COM	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-14.82% S	4.96%	Pass
22	COM	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-17.64%	25.07%	
22	COM	SO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-60.33% S	4.09%	Pass
22	COM	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.17%	3.50%	Pass
22	COM	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			

23	COM	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.81%	1.28%	Pass
23	COM	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.76%	3.77%	Pass
23	COM	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	2.41% S	1.25%	Pass
23	COM	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	28.31% S	27.46%	No pass
23	COM	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-14.74% S	0.87%	Pass
23	COM	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-6.13% S	1.20%	Pass
23	COM	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-20.04% S	5.96%	Pass
23	COM	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-9.66% S	1.64%	Pass
23	COM	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.00% S	1.11%	
23	COM	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-9.20% S	0.38%	Pass
24	RS	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-23.72% S	7.32%	Pass
24	RS	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.77%	10.91%	Pass
24	RS	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	68.55% S	12.50%	Pass
24	RS	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.65%	1.59%	Pass
24	RS	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.75%	2.50%	Pass
24	RS	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-41.41% S	4.66%	Pass
24	RS	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
24	RS	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-5.96% S	3.43%	Pass
24	RS	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-4.58% S	2.38%	Pass
24	RS	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.49%	0.67%	Pass
24	RS	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-4.37% S	8.91%	No pass
24	RS	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-21.02% S	9.44%	Pass
24	RS	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-4.21% S	1.94%	Pass
24	RS	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-64.58% S	8.41%	Pass
24	RS	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-27.48% S	8.66%	
24	RS	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.06%	1.41%	Pass
24	RS	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
26	CA	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.11%	1.28%	Pass
26	CA	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.30% S	0.35%	Pass
26	CA	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
26	CA	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.27%	1.72%	Pass
26	CA	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.11% S	0.40%	Pass
26	CA	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.51% S	0.53%	Pass
26	CA	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.58%	9.29%	No pass
26	CA	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.53% S	0.30%	Pass
26	CA	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.28%	11.34%	
26	CA	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.73%	0.46%	Pass
27	EDU	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-6.72% S	1.92%	Pass
27	EDU	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.57%	0.81%	Pass
27	EDU	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.66%	1.61%	Pass
27	EDU	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-7.81% S	2.94%	Pass

27	EDU	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	3.53%	1.98%	Pass
27	EDU	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-8.54% S	3.14%	Pass
27	EDU	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.47% S	0.95%	Pass
27	EDU	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	4.39% S	1.19%	Pass
27	EDU	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	13.51% S	6.04%	
27	EDU	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.94% S	0.21%	Pass
30		Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
30		Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.33%	1.21%	Pass
30		Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
30	EU	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	2.30%	3.85%	Pass
30	EU	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.33%	1.21%	Pass
30	EU	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.28%	2.76%	Pass
30	EU	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.67%	2.45%	Pass
30	EU	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	2.89% S	1.51%	Pass
30	EU	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.09% S	0.85%	Pass
30	EU	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	2.62%	7.21%	No pass
30	EU	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.55%	1.64%	Pass
30	EU	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-14.86% S	5.60%	
30	EU	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.80% S	0.69%	Pass
30		K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
30		Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
30		Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.50% S	1.91%	Pass
30		NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	2.62%	7.21%	No pass
30		NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.55%	1.64%	Pass
30		pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
30		SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.80% S	0.69%	Pass
31	SK	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-30.51% S	20.77%	Pass
31	SK	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	3.76%	17.97%	No pass
31	SK	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-6.35%	10.46%	Pass
31	SK	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.08%	0.97%	Pass
31	SK	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	5.88% S	2.23%	Pass
31	SK	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-15.55% S	6.79%	Pass
31	SK	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	8.89%	20.53%	Pass
31	SK	HNO3	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.93%	3.97%	Pass
31	SK	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.24%	2.94%	Pass
31	SK	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.10% S	1.19%	Pass
31	SK	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.49% S	0.46%	Pass
31	SK	NH3	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-5.03%	5.65%	Pass
31	SK	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	11.59% S	3.22%	Pass
31	SK	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-13.37%	33.93%	No pass
31	SK	NO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-49.37% S	11.45%	No pass

31	SK	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.30%	1.94%	Pass
31	SK	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-60.23% S	13.47%	Pass
31	SK	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	8.74% S	29.72%	
31	SK	SO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.89%	4.38%	Pass
31	SK	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.13%	0.78%	Pass
31	SK	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	2.85%	3.30%	Pass
33	LV	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.83% S	1.31%	Pass
33	LV	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	11.17%	14.12%	Pass
33	LV	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-4.23%	7.88%	Pass
33	LV	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.99%	2.43%	Pass
33	LV	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	5.17% S	1.31%	Pass
33	LV	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-4.81% S	0.53%	Pass
33	LV	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-11.35% S	0.93%	Pass
33	LV	HNO3	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.12%	6.80%	Pass
33	LV	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	6.42% S	3.68%	Pass
33	LV	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	3.93%	7.22%	Pass
33	LV	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-4.31% S	1.98%	Pass
33	LV	NH3	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.21%	6.86%	Pass
33	LV	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.53%	3.98%	Pass
33	LV	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-7.17% S	0.84%	Pass
33	LV	NO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.02%	1.76%	Pass
33	LV	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.24%	1.79%	Pass
33	LV	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-14.93% S	1.53%	Pass
33	LV	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.00%	2.98%	
33	LV	SO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	16.78% S	3.54%	Pass
33	LV	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.88%	6.60%	No pass
33	LV	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.40%	1.78%	Pass
34	TR	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	3.24%	2.87%	Pass
34	TR	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-28.97% S	17.00%	No pass
34	TR	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	44.95% S	35.73%	No pass
34	TR	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	9.32%	8.14%	Pass
34	TR	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	222.89% S	101.47%	No pass
34	TR	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	43.82% S	27.97%	No pass
34	TR	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-17.18% S	2.44%	Pass
34	TR	HNO3	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.58% S	4.32%	Pass
34	TR	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-90.60% S	25.75%	No pass
34	TR	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.48%	9.60%	Pass
34	TR	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-28.82% S	5.12%	Pass
34	TR	NH3	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-16.78% S	5.46%	Pass
34	TR	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-90.88% S	20.86%	No pass
34	TR	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	148.61% S	36.41%	No pass

34	TR	NO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	235.05% S	51.40%	No pass
34	TR	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-9.73% S	1.79%	Pass
34	TR	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	35.95%	68.78%	No pass
34	TR	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-12.53%	27.58%	
34	TR	SO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-15.60% S	8.61%	Pass
34	TR	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-11.34% S	0.73%	Pass
34	TR	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	29.75% S	3.08%	Pass
35	HR	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	18.15% S	2.74%	Pass
35	HR	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-5.29% S	0.64%	Pass
35	HR	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	30.20% S	36.41%	No pass
35	HR	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.34%	2.32%	Pass
35	HR	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	5.76% S	3.64%	Pass
35	HR	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
35	HR	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
35	HR	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.29% S	0.49%	Pass
35	HR	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.88%	0.40%	Pass
35	HR	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.08% S	0.39%	Pass
35	HR	NH3	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	5.51% S	2.90%	Pass
35	HR	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-9.65% S	2.09%	Pass
35	HR	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	12.13% S	1.87%	Pass
35	HR	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-4.10% S	0.30%	Pass
35	HR	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	12.87% S	2.93%	Pass
35	HR	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.14%	10.11%	
35	HR	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.30% S	0.35%	Pass
35	HR	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
36	SI	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	2.25% S	1.18%	Pass
36	SI	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	3.89% S	5.77%	Pass
36	SI	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.85%	3.12%	Pass
36	SI	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.11%	0.54%	Pass
36	SI	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.57%	1.61%	Pass
36	SI	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.99% S	0.40%	Pass
36	SI	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-7.30% S	14.52%	Pass
36	SI	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-6.64% S	3.68%	Pass
36	SI	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.00% S	0.08%	Pass
36	SI	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.51% S	0.18%	Pass
36	SI	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	3.79% S	0.76%	Pass
36	SI	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.38%	2.62%	Pass
36	SI	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.32% S	0.45%	Pass
36	SI	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.00%	0.33%	Pass
36	SI	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-5.59%	5.20%	
36	SI	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.28% S	0.23%	Pass

36	SI	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.40%	0.91%	Pass
38	EE	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	44.16% S	22.46%	No pass
38	EE	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.93% S	1.35%	Pass
38	EE	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.95% S	0.79%	Pass
38	EE	HNO3	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-10.58% S	1.18%	Pass
38	EE	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-7.03%	7.60%	Pass
38	EE	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	15.34%	17.05%	No pass
38	EE	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.62% S	0.42%	Pass
38	EE	NH3	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	7.81% S	4.28%	Pass
38	EE	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.65%	5.50%	Pass
38	EE	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.00%	0.74%	Pass
38	EE	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.23%	15.38%	
38	EE	SO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	21.93% S	1.34%	Pass
38	EE	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.19%	1.41%	Pass
39	PL	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	3.56% S	1.96%	Pass
39	PL	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-5.00%	5.13%	Pass
39	PL	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-7.88% S	2.31%	Pass
39	PL	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.35% S	0.27%	Pass
39	PL	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-6.18% S	2.00%	Pass
39	PL	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.10% S	0.80%	Pass
39	PL	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.70%	3.42%	Pass
39	PL	HNO3	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.61%	4.42%	Pass
39	PL	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.16%	2.94%	Pass
39	PL	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.44%	6.34%	Pass
39	PL	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-4.80% S	4.06%	Pass
39	PL	NH3	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-19.72% S	11.00%	No pass
39	PL	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	6.20% S	3.41%	Pass
39	PL	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-8.78% S	1.96%	Pass
39	PL	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.01% S	1.34%	Pass
39	PL	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-12.78% S	1.66%	Pass
39	PL	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.16%	6.69%	
39	PL	SO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-11.62% S	4.69%	Pass
39	PL	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.47% S	1.03%	Pass
39	PL	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.69%	0.76%	Pass
41	FR	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
41	FR	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	224.26% S	13.18%	Pass
41	FR	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	62.13% S	16.12%	Pass
41	FR	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	25.89% S	14.93%	Pass
41	FR	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	33.11%	20.10%	Pass
41	FR	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.31%	0.67%	Pass
41	FR	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	12.66% S	1.82%	Pass

42	COM	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
42	COM	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
42	COM	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-26.76% S	10.05%	Pass
42	COM	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-8.23% S	2.91%	Pass
42	COM	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	2.89%	5.35%	Pass
42	COM	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	40.79% S	5.69%	Pass
42	COM	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-69.96% S	13.45%	Pass
42	COM	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
42	COM	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
42	COM	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
42	COM	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
42	COM	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	41.18% S	29.08%	No pass
42	COM	NO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.71%	4.02%	Pass
42	COM	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-9.89% S	7.15%	No pass
42	COM	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	16.80% S	9.28%	Pass
42	COM	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.00% S	0.81%	
42	COM	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-5.96% S	7.26%	No pass
42	COM	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	12.50%	8.62%	Pass
43	GE	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-46.99% S	6.79%	Pass
43	GE	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-47.07% S	6.86%	Pass
43	GE	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-27.14% S	3.67%	Pass
43	GE	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-27.54% S	2.72%	Pass
43	GE	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-26.02% S	12.55%	Pass
43	GE	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-45.76% S	7.59%	Pass
43	GE	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-45.32% S	4.87%	Pass
43	GE	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-51.85% S	23.38%	Pass
43	GE	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
43	GE	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
43	GE	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-38.19% S	5.16%	Pass
43	GE	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-38.22% S	5.19%	Pass
43	GE	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
43	GE	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
45	COM	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.07%	2.31%	Pass
45	COM	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.58% S	0.63%	Pass
45	COM	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	3.77% S	0.95%	Pass
45	COM	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-7.06% S	3.02%	Pass
45	COM	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.42% S	0.67%	Pass
45	COM	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-10.71% S	8.83%	Pass
45	COM	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
45	COM	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	4.27% S	1.61%	Pass
45	COM	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	157.04% S	51.00%	

45	COM	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.02%	0.45%	Pass
46	PL	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
46	PL	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
46	PL	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.18% S	0.95%	Pass
46	PL	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
46	PL	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
46	PL	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
46	PL	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
46	PL	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
46	PL	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	18.86% S	0.80%	
46	PL	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
47	PL	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	3.72%	4.44%	Pass
47	PL	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-9.39% S	0.64%	Pass
47	PL	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.67%	4.48%	Pass
47	PL	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-5.20% S	1.19%	Pass
47	PL	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	5.29% S	0.30%	Pass
47	PL	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	3.57% S	0.93%	Pass
47	PL	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	2.99% S	3.42%	Pass
47	PL	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-4.48% S	3.19%	Pass
47	PL	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.88%	0.40%	Pass
47	PL	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-4.52% S	1.20%	Pass
47	PL	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.92%	8.53%	No pass
47	PL	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	5.04% S	1.87%	Pass
47	PL	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-8.97% S	1.19%	Pass
47	PL	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.15%	1.03%	Pass
47	PL	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	39.65% S	2.83%	
47	PL	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.25% S	0.73%	Pass
47	PL	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	3.39% S	0.75%	Pass
48	BE	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	2.08% S	0.91%	Pass
48	BE	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	2.27%	17.65%	No pass
48	BE	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	10.05% S	3.94%	Pass
48	BE	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	88.07% S	5.66%	Pass
48	BE	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.10%	3.45%	Pass
48	BE	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.21%	1.60%	Pass
48	BE	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	3.20%	3.73%	Pass
48	BE	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	3.27% S	2.70%	Pass
48	BE	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	6.51% S	1.19%	Pass
48	BE	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.16% S	0.92%	Pass
48	BE	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.83% S	1.52%	Pass
48	BE	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	6.87% S	2.24%	Pass
48	BE	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	16.53% S	2.23%	Pass

48	BE	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	8.50% S	1.70%	Pass
48	BE	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-31.57% S	23.01%	
48	BE	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-23.52% S	6.26%	No pass
48	BE	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	14.96% S	1.69%	Pass
49	CY	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	31.86% S	9.14%	Pass
49	CY	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.45% S	1.28%	Pass
49	CY	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	12.26% S	3.40%	Pass
49	CY	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.53%	0.86%	Pass
49	CY	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
49	CY	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-4.00%	3.06%	Pass
49	CY	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	14.85% S	4.98%	Pass
49	CY	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-11.92% S	7.85%	Pass
49	CY	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.96% S	0.71%	Pass
49	CY	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.67% S	1.13%	Pass
49	CY	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	17.75% S	7.78%	No pass
49	CY	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-34.20% S	5.33%	Pass
49	CY	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.86% S	0.45%	Pass
49	CY	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-10.60% S	1.16%	Pass
49	CY	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
49	CY	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.98% S	0.15%	Pass
49	CY	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	42.54% S	9.59%	Pass
50	FR	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-8.95% S	5.13%	Pass
50	FR	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.09% S	0.38%	Pass
50	FR	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
50	FR	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-6.47% S	2.21%	Pass
50	FR	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-7.80% S	1.59%	Pass
50	FR	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-6.51% S	0.56%	Pass
50	FR	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	12.36% S	3.98%	Pass
50	FR	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-4.95% S	0.30%	Pass
50	FR	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
50	FR	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-6.80% S	0.28%	Pass
51	COM	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	24.18% S	6.14%	Pass
51	COM	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	25.34% S	7.47%	Pass
51	COM	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	7.83% S	4.80%	Pass
51	COM	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	11.18% S	6.12%	Pass
51	COM	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	15.29% S	8.60%	Pass
51	COM	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	13.06% S	6.29%	Pass
51	COM	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	18.01% S	8.48%	Pass
54	PL	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	9.20% S	2.74%	Pass
54	PL	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-7.36% S	1.60%	Pass
54	PL	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.64%	3.80%	Pass

54	PL	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.70% S	1.43%	Pass
54	PL	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	2.61% S	1.28%	Pass
54	PL	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-10.52% S	3.33%	Pass
54	PL	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
54	PL	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-12.39% S	7.60%	Pass
54	PL	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.04% S	1.67%	Pass
54	PL	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-12.36% S	1.24%	Pass
54	PL	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	12.94% S	6.45%	Pass
54	PL	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-58.23% S	8.04%	Pass
54	PL	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.64% S	0.89%	Pass
54	PL	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.41% S	1.66%	Pass
54	PL	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	53.12% S	14.15%	
54	PL	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.74% S	1.66%	Pass
54	PL	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-8.90% S	1.29%	Pass
110	DE	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	2.04%	2.61%	Pass
110	DE	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.66% S	0.32%	Pass
110	DE	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-4.83% S	5.03%	Pass
110	DE	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-9.89% S	2.69%	Pass
110	DE	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-7.00% S	3.25%	Pass
110	DE	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	2.84%	4.26%	Pass
110	DE	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-29.76% S	1.56%	Pass
110	DE	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	8.03% S	3.19%	Pass
110	DE	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.11%	0.79%	Pass
110	DE	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.04% S	1.27%	Pass
110	DE	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.48% S	4.55%	Pass
110	DE	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.87%	3.55%	Pass
110	DE	NO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.40% S	0.59%	Pass
110	DE	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-7.51% S	2.09%	Pass
110	DE	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.78%	0.33%	Pass
110	DE	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-10.66%	52.54%	
110	DE	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-7.29% S	2.50%	Pass
110	DE	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-4.34% S	1.06%	Pass
112	DE	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	9.62% S	2.48%	Pass
112	DE	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.92% S	0.22%	Pass
112	DE	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	9.76% S	4.89%	Pass
112	DE	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.09%	0.85%	Pass
112	DE	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-6.32% S	2.56%	Pass
112	DE	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-4.88% S	0.80%	Pass
112	DE	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.03%	13.48%	Pass
112	DE	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.72%	0.83%	Pass
112	DE	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	5.08% S	0.99%	Pass

112	DE	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.90% S	0.61%	Pass
112	DE	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.96% S	1.21%	Pass
112	DE	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.15%	26.92%	No pass
112	DE	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.97% S	1.64%	Pass
112	DE	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	3.29% S	1.43%	Pass
112	DE	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-9.84%	10.31%	
112	DE	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.90% S	0.19%	Pass
112	DE	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	18.93% S	4.11%	Pass
114	IT	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	62.73% S	10.59%	Pass
114	IT	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.17% S	0.54%	Pass
114	IT	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	2.44% S	4.63%	Pass
114	IT	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	3.25% S	4.41%	Pass
114	IT	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.44%	5.95%	Pass
114	IT	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.51%	0.85%	Pass
114	IT	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.36% S	0.57%	Pass
114	IT	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.57% S	0.89%	Pass
114	IT	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-5.54%	3.19%	
114	IT	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-4.37% S	0.73%	Pass
115	DE	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	9.04% S	3.92%	Pass
115	DE	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-14.09% S	19.57%	No pass
115	DE	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	3.30%	3.80%	Pass
115	DE	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-6.97% S	0.32%	Pass
115	DE	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-5.27% S	1.35%	Pass
115	DE	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	2.27% S	2.00%	Pass
115	DE	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.47%	2.18%	Pass
115	DE	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-4.33%	9.07%	Pass
115	DE	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-6.99%	4.36%	Pass
115	DE	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.21% S	1.76%	Pass
115	DE	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.08%	3.60%	Pass
115	DE	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.51%	1.68%	Pass
115	DE	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-11.59% S	2.38%	Pass
115	DE	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-6.59% S	1.56%	Pass
115	DE	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-14.80% S	5.16%	
115	DE	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-10.13% S	1.10%	Pass
115	DE	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	5.65% S	2.96%	Pass
116	CH	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	16.45% S	5.45%	Pass
116	CH	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.97% S	1.37%	Pass
116	CH	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-7.86% S	2.63%	Pass
116	CH	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	5.31% S	5.39%	Pass
116	CH	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	8.10% S	3.17%	Pass
116	CH	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	8.12% S	4.27%	Pass

116	CH	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	9.77%	7.21%	No pass
116	CH	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-15.69% S	2.65%	Pass
116	CH	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	79.99% S	190.74%	
116	CH	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-6.22% S	0.69%	Pass
120	DE	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	3.21% S	1.96%	Pass
120	DE	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-8.45% S	1.60%	Pass
120	DE	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	6.76% S	3.53%	Pass
120	DE	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-8.73% S	1.35%	Pass
120	DE	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	3.68% S	3.25%	Pass
120	DE	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.96%	1.60%	Pass
120	DE	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.11%	1.45%	Pass
120	DE	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-22.42% S	6.62%	Pass
120	DE	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-8.04% S	1.51%	Pass
120	DE	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-7.28% S	1.62%	Pass
120	DE	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	11.71%	8.16%	No pass
120	DE	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-13.18% S	0.28%	Pass
120	DE	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-11.28% S	2.83%	Pass
120	DE	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.95% S	0.73%	Pass
120	DE	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	15.30% S	9.39%	
120	DE	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-10.40% S	1.38%	Pass
120	DE	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	13.80% S	1.39%	Pass
121	DE	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-41.07% S	16.33%	Pass
121	DE	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.91% S	1.28%	Pass
121	DE	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
121	DE	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.26% S	1.21%	Pass
121	DE	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-5.48%	4.89%	Pass
121	DE	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.57%	3.46%	Pass
121	DE	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	15.51% S	0.93%	Pass
121	DE	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-9.59% S	2.94%	Pass
121	DE	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.04% S	0.48%	Pass
121	DE	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-10.13% S	2.51%	Pass
121	DE	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-7.06% S	4.36%	Pass
121	DE	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	5.39% S	1.40%	Pass
121	DE	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.99% S	0.45%	Pass
121	DE	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-9.56% S	1.46%	Pass
121	DE	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-10.85% S	12.09%	
121	DE	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-15.01% S	6.78%	No pass
121	DE	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.11%	3.53%	Pass
125	DE	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	6.05% S	2.56%	Pass
125	DE	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-8.31% S	2.25%	Pass
125	DE	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.07%	3.80%	Pass

125	DE	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.87% S	0.40%	Pass
125	DE	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	2.17% S	0.95%	Pass
125	DE	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-25.59% S	0.31%	Pass
125	DE	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-7.50% S	0.60%	Pass
125	DE	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-9.30% S	2.65%	Pass
125	DE	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.59% S	0.40%	Pass
125	DE	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-8.20% S	0.64%	Pass
125	DE	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-13.32% S	2.05%	Pass
125	DE	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.78% S	0.49%	Pass
125	DE	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-5.07% S	0.86%	Pass
125	DE	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.39%	1.26%	Pass
125	DE	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-8.58%	13.31%	
125	DE	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.58% S	0.68%	Pass
125	DE	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	4.16% S	1.25%	Pass
129	COM	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
129	COM	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	16113.02% S	13.18%	Pass
129	COM	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	4241.73% S	1412.95%	No pass
129	COM	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1044.55% S	365.06%	No pass
129	COM	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1828.31% S	851.18%	No pass
129	COM	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	3621.74% S	1405.50%	No pass
129	COM	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-8.50%	10310.04%	No pass
146	LU	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	2.95% S	1.44%	Pass
146	LU	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-5.88% S	3.67%	Pass
146	LU	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.75%	2.53%	Pass
146	LU	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-4.56% S	1.45%	Pass
146	LU	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	2.02% S	1.22%	Pass
146	LU	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.32% S	0.30%	Pass
146	LU	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.11%	0.94%	Pass
153	SI	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	33.30% S	10.59%	Pass
153	SI	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-5.37% S	0.73%	Pass
153	SI	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-7.30% S	0.92%	Pass
153	SI	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.43% S	1.72%	Pass
153	SI	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	11.94% S	7.46%	Pass
153	SI	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-6.23% S	0.99%	Pass
153	SI	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	4.52% S	3.03%	Pass
153	SI	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-6.21% S	1.64%	Pass
153	SI	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-18.72% S	2.19%	
153	SI	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-6.64% S	0.34%	Pass
155	UK	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.45% S	3.21%	Pass
155	UK	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.86% S	0.40%	Pass
155	UK	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.12%	0.79%	Pass

155	UK	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-6.74% S	3.43%	Pass
155	UK	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.16% S	0.79%	Pass
155	UK	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.90% S	1.02%	Pass
155	UK	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-5.40% S	1.52%	Pass
155	UK	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.58% S	0.60%	Pass
155	UK	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-9.84% S	2.78%	
155	UK	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.28% S	0.53%	Pass
158	ASIA	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.78%	1.28%	Pass
158	ASIA	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	2.32% S	1.78%	Pass
158	ASIA	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.07%	1.97%	Pass
158	ASIA	HNO3	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-7.58% S	2.93%	Pass
158	ASIA	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.78% S	0.49%	Pass
158	ASIA	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	2.05% S	0.79%	Pass
158	ASIA	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.28% S	0.28%	Pass
158	ASIA	NH3	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.17%	3.39%	Pass
158	ASIA	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-17.81% S	3.98%	Pass
158	ASIA	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.83% S	0.45%	Pass
158	ASIA	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	12.16%	19.39%	
158	ASIA	SO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-13.29% S	2.35%	Pass
158	ASIA	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.28%	0.40%	Pass
166	PL	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
166	PL	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	4.58%	3.79%	Pass
166	PL	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
166	PL	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.16% S	0.16%	Pass
166	PL	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	5.67% S	1.67%	Pass
166	PL	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
166	PL	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
166	PL	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-12.73% S	4.46%	Pass
166	PL	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	5.04% S	1.55%	Pass
166	PL	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.46%	0.83%	Pass
166	PL	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-13.11% S	0.57%	Pass
166	PL	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
166	PL	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.73% S	0.89%	Pass
166	PL	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
166	PL	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
166	PL	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-4.37% S	1.79%	Pass
166	PL	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	7.68% S	2.23%	Pass
169	UK	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.73%	0.88%	Pass
169	UK	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.87%	5.71%	Pass
169	UK	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-12.95% S	2.66%	Pass
169	UK	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-7.89% S	3.14%	Pass

169	UK	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.85%	3.08%	Pass
169	UK	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.75%	1.36%	Pass
169	UK	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.46% S	0.65%	Pass
171	FR	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-5.02% S	1.70%	Pass
171	FR	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-11.68% S	1.22%	Pass
171	FR	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.81% S	0.53%	Pass
171	FR	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-7.03% S	1.87%	Pass
171	FR	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-6.78% S	1.03%	Pass
171	FR	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-5.74% S	0.57%	Pass
171	FR	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	3.93% S	0.85%	Pass
178	RU	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.87%	5.23%	Pass
178	RU	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	20.04% S	13.80%	Pass
178	RU	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	3.33%	7.88%	Pass
178	RU	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	3.20%	3.64%	Pass
178	RU	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	5.04%	13.33%	No pass
178	RU	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-5.02%	4.13%	Pass
178	RU	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	3.55% S	1.45%	Pass
178	RU	HNO3	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.78%	4.29%	Pass
178	RU	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	46.02% S	61.30%	No pass
178	RU	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	23.14% S	9.52%	Pass
178	RU	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-13.17%	11.68%	No pass
178	RU	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-12.38% S	14.60%	No pass
178	RU	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.52%	6.64%	Pass
178	RU	NO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-37.88%	35.83%	No pass
178	RU	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-4.26%	4.47%	Pass
178	RU	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.94%	5.65%	Pass
178	RU	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	11.28%	12.69%	
178	RU	SO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-7.64% S	3.75%	Pass
178	RU	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-20.45% S	7.60%	No pass
178	RU	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.79%	4.41%	Pass
183	RS	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
183	RS	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	8.17% S	0.96%	Pass
183	RS	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	30.31% S	5.84%	Pass
183	RS	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
183	RS	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-9.65%	8.21%	No pass
183	RS	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	9.16% S	5.86%	Pass
183	RS	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	22.58% S	13.79%	Pass
183	RS	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	18.15% S	4.66%	Pass
183	RS	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	5.86% S	1.11%	Pass
183	RS	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-14.57% S	12.78%	No pass
183	RS	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			

183	RS	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	7.49%	13.18%	Pass
183	RS	NO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.21% S	1.47%	Pass
183	RS	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
183	RS	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	7.51%	6.49%	Pass
183	RS	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-20.55% S	9.32%	
183	RS	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	4.21% S	0.54%	Pass
183	RS	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	2.83% S	1.97%	Pass
184	RS	NO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.84% S	1.17%	Pass
185	ORG	NO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.98%	2.64%	Pass
187	COM	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.09%	3.79%	Pass
187	COM	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	64.15% S	12.51%	Pass
187	COM	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	14.43%	18.61%	Pass
187	COM	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
187	COM	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
187	COM	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
187	COM	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.99%	28.72%	No pass
187	COM	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	21.72%	12.75%	Pass
187	COM	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	9.03%	9.12%	Pass
187	COM	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-14.55% S	1.45%	Pass
187	COM	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	95.93% S	17.83%	No pass
187	COM	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-9.88%	20.47%	Pass
187	COM	NO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	3.10% S	0.00%	Pass
187	COM	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-15.78% S	2.83%	Pass
187	COM	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	373.95% S	1041.66%	No pass
187	COM	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
187	COM	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
187	COM	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
188	COM	NO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.55%	4.11%	Pass
189	RS	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
189	RS	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
189	RS	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
189	RS	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.97% S	5.88%	Pass
189	RS	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
189	RS	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-18.78% S	3.24%	Pass
189	RS	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
189	RS	NO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	4.51% S	0.59%	Pass
189	RS	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
189	RS	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
189	RS	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
193	RS	NO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	4.90% S	0.88%	Pass
198	RS	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			

198	RS	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
198	RS	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
198	RS	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-9.08% S	4.39%	Pass
198	RS	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
198	RS	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-17.50% S	4.78%	Pass
198	RS	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
198	RS	NO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	3.78% S	0.65%	Pass
198	RS	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
198	RS	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
198	RS	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
200	CH	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-8.26% S	2.89%	Pass
200	CH	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.51% S	0.38%	Pass
200	CH	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.61% S	0.69%	Pass
200	CH	HNO3	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-6.95% S	3.04%	Pass
200	CH	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.32%	0.98%	Pass
200	CH	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-5.51% S	2.78%	Pass
200	CH	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.81% S	0.46%	Pass
200	CH	NH3	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-2.19%	2.99%	Pass
200	CH	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.58%	0.95%	Pass
200	CH	NO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.77%	0.88%	Pass
200	CH	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.48% S	1.19%	Pass
200	CH	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
200	CH	SO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	2.17%	4.01%	Pass
200	CH	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.52%	1.00%	Pass
201	RS	NO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.49% S	0.88%	Pass
203	RS	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.92%	7.97%	Pass
203	RS	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-8.77%	8.66%	Pass
203	RS	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	28.54%	32.20%	No pass
203	RS	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
203	RS	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	2.08%	1.61%	Pass
203	RS	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
203	RS	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
203	RS	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-8.80%	11.03%	Pass
203	RS	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.44%	5.95%	Pass
203	RS	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-16.16% S	1.24%	Pass
203	RS	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	104.64% S	15.55%	No pass
203	RS	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-7.04%	10.84%	Pass
203	RS	NO2	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	2.64% S	1.17%	Pass
203	RS	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
203	RS	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
203	RS	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-46.63% S	12.70%	

203	RS	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
203	RS	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
209	RS	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.26% S	0.52%	Pass
209	RS	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	82.21% S	25.67%	No pass
209	RS	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.84% S	3.94%	Pass
209	RS	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.05%	4.69%	Pass
209	RS	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
209	RS	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	0.36%	0.40%	Pass
209	RS	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-8.35% S	0.83%	Pass
209	RS	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	7.70%	11.03%	Pass
209	RS	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	7.15%	20.70%	No pass
209	RS	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-14.29% S	1.94%	Pass
209	RS	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-14.35%	24.66%	No pass
209	RS	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-7.08% S	3.27%	Pass
209	RS	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.44%	4.92%	Pass
209	RS	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.31% S	0.50%	Pass
209	RS	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
209	RS	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-6.02% S	1.71%	Pass
209	RS	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf			
211	COM	As	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	2.67% S	1.18%	Pass
211	COM	Ca in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-11.68% S	2.89%	Pass
211	COM	Cd	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.54%	5.57%	Pass
211	COM	Cl in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-0.69%	1.46%	Pass
211	COM	Cond in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.97% S	0.89%	Pass
211	COM	Cr	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-1.41%	2.26%	Pass
211	COM	Cu	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-8.31% S	3.84%	Pass
211	COM	K in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	8.09% S	2.21%	Pass
211	COM	Mg in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	6.20% S	4.68%	Pass
211	COM	Na in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.69% S	1.62%	Pass
211	COM	NH4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-12.18% S	5.12%	Pass
211	COM	Ni	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	1.57% S	2.71%	Pass
211	COM	NO3 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.69%	3.87%	Pass
211	COM	Pb	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	2.32% S	0.73%	Pass
211	COM	pH in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-10.85% S	4.33%	
211	COM	SO4 in precip	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	-3.43% S	2.09%	Pass
211	COM	Zn	EMEP43	20250105 https://emep-ccc.nilu.no/static/qameasure/emep43.pdf	8.38% S	1.42%	Pass